


Standard Forceps

01 Flat Plug Patterns

02 Two-Pin Patterns

03 Special & Irrigation



Flat Plug Patterns

OPHTHALMIC BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036A	FB-S-036A	0.30mm, 11.50cm
FB-R-036B	FB-S-036B	0.30mm, 10.20cm
FB-R-036C	FB-S-036C	0.30mm, 10.80cm
FB-R-036D	FB-S-036D	0.50mm, 12.10cm
FB-R-036E	FB-S-036E	0.50mm, 15cm
FB-R-036F	FB-S-036F	0.50mm, 11.50cm
FB-R-036G	FB-S-036G	0.50mm, 11.50cm
FB-R-036H	FB-S-036H	0.50mm, 11.50cm
FB-R-036I	FB-S-036I	0.50mm, 10.20cm
FB-R-036J	FB-S-036J	0.50mm, 12.10cm
FB-R-036K	FB-S-036K	0.50mm, 11.50cm
FB-R-036L	FB-S-036L	0.50mm, 15.50cm
FB-R-036M	FB-S-036M	0.50mm, 18.00cm
FB-R-036N	FB-S-036N	0.50mm, 20.00cm
FB-R-036O	FB-S-036O	0.50mm, 22.00cm
FB-R-036P	FB-S-036P	0.50mm, 24.00cm
FB-R-036Q	FB-S-036Q	0.50mm, 10.20cm
FB-R-036R	FB-S-036R	0.50mm, 10.80cm
FB-R-036S	FB-S-036S	0.50mm, 11.50cm
FB-R-036T	FB-S-036T	0.50mm, 11.50cm
FB-R-036U	FB-S-036U	0.50mm, 11.50cm
FB-R-036V	FB-S-036V	0.50mm, 11.50cm
FB-R-036W	FB-S-036W	0.70mm, 12.10cm
FB-R-036X	FB-S-036X	0.70mm, 15cm
FB-R-036Y	FB-S-036Y	0.70mm, 11.50cm
FB-R-036Z	FB-S-036Z	0.70mm, 11.50cm
FB-R-036AA	FB-S-036AA	0.70mm, 10.20cm
FB-R-036AB	FB-S-036AB	0.70mm, 10.20cm
FB-R-036AC	FB-S-036AC	0.70mm, 10.80cm

OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036AD	FB-S-036AD	0.70mm, 11.50cm
FB-R-036AE	FB-S-036AE	0.70mm, 11.50cm
FB-R-036AF	FB-S-036AF	0.70mm, 11.50cm
FB-R-036AG	FB-S-036AG	0.70mm, 11.50cm
FB-R-036AH	FB-S-036AH	1.00mm, 12.10cm
FB-R-036AI	FB-S-036AI	1.00mm, 15cm
FB-R-036AJ	FB-S-036AJ	1.00mm, 11.50cm
FB-R-036AK	FB-S-036AK	1.00mm, 11.50cm
FB-R-036AL	FB-S-036AL	1.00mm, 11.50cm
FB-R-036AM	FB-S-036AM	1.00mm, 10.20cm
FB-R-036AN	FB-S-036AN	1.00mm, 12.10cm
FB-R-036AO	FB-S-036AO	1.00mm, 11.50cm
FB-R-036AP	FB-S-036AP	1.00mm, 15.50cm
FB-R-036AQ	FB-S-036AQ	1.00mm, 18.00cm
FB-R-036AR	FB-S-036AR	1.00mm, 20.00cm
FB-R-036AS	FB-S-036AS	1.00mm, 22.00cm
FB-R-036AT	FB-S-036AT	1.00mm, 24.00cm
FB-R-036AU	FB-S-036AU	1.00mm, 10.20cm
FB-R-036AV	FB-S-036AV	1.00mm, 10.80cm
FB-R-036AW	FB-S-036AW	1.00mm, 11.50cm
FB-R-036AX	FB-S-036AX	1.00mm, 11.50cm
FB-R-036AY	FB-S-036AY	1.00mm, 11.50cm
FB-R-036AZ	FB-S-036AZ	1.00mm, 11.50cm
FB-R-036BA	FB-S-036BA	1.50mm, 12.10cm
FB-R-036BB	FB-S-036BB	1.50mm, 15cm
FB-R-036BC	FB-S-036BC	1.50mm, 11.50cm
FB-R-036BD	FB-S-036BD	1.50mm, 11.50cm
FB-R-036BE	FB-S-036BE	1.50mm, 11.50cm
FB-R-036BF	FB-S-036BF	1.50mm, 10.20cm
FB-R-036BG	FB-S-036BG	1.50mm, 12.10cm

OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036BH	FB-S-036BH	1.50mm, 11.50cm
FB-R-036BI	FB-S-036BI	1.50mm, 11.50cm
FB-R-036BJ	FB-S-036BJ	1.50mm, 11.50cm
FB-R-036BK	FB-S-036BK	1.50mm, 11.50cm
FB-R-036BL	FB-S-036BL	1.50mm, 11.50cm
FB-R-036BM	FB-S-036BM	2.00mm, 15.50cm
FB-R-036BN	FB-S-036BN	2.00mm, 18.00cm
FB-R-036BO	FB-S-036BO	2.00mm, 20.00cm
FB-R-036BP	FB-S-036BP	2.00mm, 22.00cm
FB-R-036BQ	FB-S-036BQ	2.00mm, 24.00cm
FB-R-036BR	FB-S-036BR	On Demand, Custom (On Demand)
FB-R-036BS	FB-S-036BS	On Demand, Custom (On Demand)
FB-R-036BT	FB-S-036BT	On Demand, Custom (On Demand)
FB-R-036BU	FB-S-036BU	On Demand, Custom (On Demand)
FB-R-036BV	FB-S-036BV	On Demand, Custom (On Demand)
FB-R-036BW	FB-S-036BW	On Demand, Custom (On Demand)
FB-R-036BX	FB-S-036BX	On Demand, Custom (On Demand)
FB-R-036BY	FB-S-036BY	On Demand, Custom (On Demand)
FB-R-036BZ	FB-S-036BZ	On Demand, Custom (On Demand)
FB-R-036CA	FB-S-036CA	On Demand, Custom (On Demand)
FB-R-036CB	FB-S-036CB	On Demand, Custom (On Demand)
FB-R-036CC	FB-S-036CC	On Demand, Custom (On Demand)
FB-R-036CD	FB-S-036CD	On Demand, Custom (On Demand)
FB-R-036CE	FB-S-036CE	On Demand, Custom (On Demand)
FB-R-036CF	FB-S-036CF	On Demand, Custom (On Demand)
FB-R-036CG	FB-S-036CG	On Demand, Custom (On Demand)
FB-R-036CH	FB-S-036CH	On Demand, Custom (On Demand)

ADSON BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-001A	FB-S-001A	0.50mm, 12.10cm
FB-R-001B	FB-S-001B	0.50mm, 12.10cm

ADSON BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-001C	FB-S-001C	0.50mm, 15.50cm
FB-R-001D	FB-S-001D	0.50mm, 18.00cm
FB-R-001E	FB-S-001E	0.50mm, 20.00cm
FB-R-001F	FB-S-001F	0.70mm, 12.10cm
FB-R-001G	FB-S-001G	0.70mm, 12.10cm
FB-R-001H	FB-S-001H	1.00mm, 12.10cm
FB-R-001I	FB-S-001I	1.00mm, 12.10cm
FB-R-001J	FB-S-001J	1.00mm, 15.50cm
FB-R-001K	FB-S-001K	1.00mm, 18.00cm
FB-R-001L	FB-S-001L	1.00mm, 20.00cm
FB-R-001M	FB-S-001M	1.50mm, 12.10cm
FB-R-001N	FB-S-001N	1.50mm, 12.10cm
FB-R-001O	FB-S-001O	1.50mm, 15.50cm
FB-R-001P	FB-S-001P	1.50mm, 18.00cm
FB-R-001Q	FB-S-001Q	1.50mm, 20.00cm
FB-R-001R	FB-S-001R	On Demand, Custom (On Demand)
FB-R-001S	FB-S-001S	On Demand, Custom (On Demand)
FB-R-001T	FB-S-001T	On Demand, Custom (On Demand)
FB-R-001U	FB-S-001U	On Demand, Custom (On Demand)
FB-R-001V	FB-S-001V	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-044A	FB-S-044A	0.50mm, 15.50cm
FB-R-044B	FB-S-044B	0.50mm, 18.00cm
FB-R-044C	FB-S-044C	0.50mm, 20.00cm
FB-R-044D	FB-S-044D	0.50mm, 22.00cm
FB-R-044E	FB-S-044E	0.50mm, 24.00cm
FB-R-044F	FB-S-044F	1.00mm, 15.50cm
FB-R-044G	FB-S-044G	1.00mm, 18.00cm
FB-R-044H	FB-S-044H	1.00mm, 20.00cm
FB-R-044I	FB-S-044I	1.00mm, 22.00cm

STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-044J	FB-S-044J	1.00mm, 24.00cm
FB-R-044K	FB-S-044K	2.00mm, 15.50cm
FB-R-044L	FB-S-044L	2.00mm, 18.00cm
FB-R-044M	FB-S-044M	2.00mm, 20.00cm
FB-R-044N	FB-S-044N	2.00mm, 22.00cm
FB-R-044O	FB-S-044O	2.00mm, 24.00cm
FB-R-044P	FB-S-044P	On Demand, Custom (On Demand)
FB-R-044Q	FB-S-044Q	On Demand, Custom (On Demand)
FB-R-044R	FB-S-044R	On Demand, Custom (On Demand)
FB-R-044S	FB-S-044S	On Demand, Custom (On Demand)
FB-R-044T	FB-S-044T	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS ANGLE TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-045A	FB-S-045A	0.50mm, 15.50cm
FB-R-045B	FB-S-045B	0.50mm, 18.00cm
FB-R-045C	FB-S-045C	0.50mm, 20.00cm
FB-R-045D	FB-S-045D	0.50mm, 22.00cm
FB-R-045E	FB-S-045E	0.50mm, 24.00cm
FB-R-045F	FB-S-045F	1.00mm, 15.50cm
FB-R-045G	FB-S-045G	1.00mm, 18.00cm
FB-R-045H	FB-S-045H	1.00mm, 20.00cm
FB-R-045I	FB-S-045I	1.00mm, 22.00cm
FB-R-045J	FB-S-045J	1.00mm, 24.00cm
FB-R-045K	FB-S-045K	2.00mm, 15.50cm
FB-R-045L	FB-S-045L	2.00mm, 18.00cm
FB-R-045M	FB-S-045M	2.00mm, 20.00cm
FB-R-045N	FB-S-045N	2.00mm, 22.00cm
FB-R-045O	FB-S-045O	2.00mm, 24.00cm
FB-R-045P	FB-S-045P	On Demand, Custom (On Demand)
FB-R-045Q	FB-S-045Q	On Demand, Custom (On Demand)
FB-R-045R	FB-S-045R	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS ANGLE TIP (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-045S	FB-S-045S	On Demand, Custom (On Demand)
FB-R-045T	FB-S-045T	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-009A	FB-S-009A	0.50mm, 15.50cm
FB-R-009B	FB-S-009B	0.50mm, 18.00cm
FB-R-009C	FB-S-009C	0.50mm, 20.00cm
FB-R-009D	FB-S-009D	0.50mm, 22.00cm
FB-R-009E	FB-S-009E	0.50mm, 24.00cm
FB-R-009F	FB-S-009F	0.50mm, 15.50cm
FB-R-009G	FB-S-009G	0.50mm, 18.00cm
FB-R-009H	FB-S-009H	0.50mm, 20.00cm
FB-R-009I	FB-S-009I	1.00mm, 15.50cm
FB-R-009J	FB-S-009J	1.00mm, 18.00cm
FB-R-009K	FB-S-009K	1.00mm, 20.00cm
FB-R-009L	FB-S-009L	1.00mm, 22.00cm
FB-R-009M	FB-S-009M	1.00mm, 24.00cm
FB-R-009N	FB-S-009N	1.00mm, 15.50cm
FB-R-009O	FB-S-009O	1.00mm, 18.00cm
FB-R-009P	FB-S-009P	1.00mm, 20.00cm
FB-R-009Q	FB-S-009Q	2.00mm, 15.50cm
FB-R-009R	FB-S-009R	2.00mm, 18.00cm
FB-R-009S	FB-S-009S	2.00mm, 20.00cm
FB-R-009T	FB-S-009T	2.00mm, 22.00cm
FB-R-009U	FB-S-009U	2.00mm, 24.00cm
FB-R-009V	FB-S-009V	2.00mm, 15.50cm
FB-R-009W	FB-S-009W	2.00mm, 18.00cm
FB-R-009X	FB-S-009X	2.00mm, 20.00cm
FB-R-009Y	FB-S-009Y	On Demand, Custom (On Demand)
FB-R-009Z	FB-S-009Z	On Demand, Custom (On Demand)
FB-R-009AA	FB-S-009AA	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-009AB	FB-S-009AB	On Demand, Custom (On Demand)
FB-R-009AC	FB-S-009AC	On Demand, Custom (On Demand)
FB-R-009AD	FB-S-009AD	On Demand, Custom (On Demand)
FB-R-009AE	FB-S-009AE	On Demand, Custom (On Demand)
FB-R-009AF	FB-S-009AF	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS ANGLE TIP UP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-010A	FB-S-010A	0.50mm, 22.00cm
FB-R-010B	FB-S-010B	0.50mm, 24.00cm
FB-R-010C	FB-S-010C	0.50mm, 15.50cm
FB-R-010D	FB-S-010D	0.50mm, 18.00cm
FB-R-010E	FB-S-010E	0.50mm, 20.00cm
FB-R-010F	FB-S-010F	0.50mm, 22.00cm
FB-R-010G	FB-S-010G	0.50mm, 24.00cm
FB-R-010H	FB-S-010H	1.00mm, 22.00cm
FB-R-010I	FB-S-010I	1.00mm, 24.00cm
FB-R-010J	FB-S-010J	1.00mm, 15.50cm
FB-R-010K	FB-S-010K	1.00mm, 18.00cm
FB-R-010L	FB-S-010L	1.00mm, 20.00cm
FB-R-010M	FB-S-010M	1.00mm, 24.00cm
FB-R-010N	FB-S-010N	2.00mm, 22.00cm
FB-R-010O	FB-S-010O	2.00mm, 24.00cm
FB-R-010P	FB-S-010P	2.00mm, 15.50cm
FB-R-010Q	FB-S-010Q	2.00mm, 18.00cm
FB-R-010R	FB-S-010R	2.00mm, 20.00cm
FB-R-010S	FB-S-010S	2.00mm, 22.00cm
FB-R-010T	FB-S-010T	2.00mm, 24.00cm
FB-R-010U	FB-S-010U	On Demand, Custom (On Demand)
FB-R-010V	FB-S-010V	On Demand, Custom (On Demand)
FB-R-010W	FB-S-010W	On Demand, Custom (On Demand)
FB-R-010X	FB-S-010X	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS ANGLE TIP UP (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-010Y	FB-S-010Y	On Demand, Custom (On Demand)
FB-R-010Z	FB-S-010Z	On Demand, Custom (On Demand)
FB-R-010AA	FB-S-010AA	On Demand, Custom (On Demand)

Two-Pin Patterns

GERALD STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-013A	FB-S-013A	0.50mm, 15.50cm
FB-R-013B	FB-S-013B	0.50mm, 18.00cm
FB-R-013C	FB-S-013C	0.50mm, 20.00cm
FB-R-013D	FB-S-013D	0.50mm, 22.00cm
FB-R-013E	FB-S-013E	0.50mm, 24.00cm
FB-R-013F	FB-S-013F	0.50mm, 15.50cm
FB-R-013G	FB-S-013G	0.50mm, 18.00cm
FB-R-013H	FB-S-013H	0.50mm, 20.00cm
FB-R-013I	FB-S-013I	1.00mm, 15.50cm
FB-R-013J	FB-S-013J	1.00mm, 18.00cm
FB-R-013K	FB-S-013K	1.00mm, 20.00cm
FB-R-013L	FB-S-013L	1.00mm, 22.00cm
FB-R-013M	FB-S-013M	1.00mm, 24.00cm
FB-R-013N	FB-S-013N	1.00mm, 15.50cm
FB-R-013O	FB-S-013O	1.00mm, 18.00cm
FB-R-013P	FB-S-013P	1.00mm, 20.00cm
FB-R-013Q	FB-S-013Q	2.00mm, 15.50cm
FB-R-013R	FB-S-013R	2.00mm, 18.00cm
FB-R-013S	FB-S-013S	2.00mm, 20.00cm
FB-R-013T	FB-S-013T	2.00mm, 22.00cm
FB-R-013U	FB-S-013U	2.00mm, 24.00cm
FB-R-013V	FB-S-013V	2.00mm, 15.50cm
FB-R-013W	FB-S-013W	2.00mm, 18.00cm
FB-R-013X	FB-S-013X	2.00mm, 20.00cm

GERALD STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-013Y	FB-S-013Y	On Demand, Custom (On Demand)
FB-R-013Z	FB-S-013Z	On Demand, Custom (On Demand)
FB-R-013AA	FB-S-013AA	On Demand, Custom (On Demand)
FB-R-013AB	FB-S-013AB	On Demand, Custom (On Demand)
FB-R-013AC	FB-S-013AC	On Demand, Custom (On Demand)
FB-R-013AD	FB-S-013AD	On Demand, Custom (On Demand)
FB-R-013AE	FB-S-013AE	On Demand, Custom (On Demand)
FB-R-013AF	FB-S-013AF	On Demand, Custom (On Demand)

GERALD STRAIGHT BIPOLAR FORCEPS ANGLE TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-014A	FB-S-014A	0.50mm, 15.50cm
FB-R-014B	FB-S-014B	0.50mm, 18.00cm
FB-R-014C	FB-S-014C	0.50mm, 20.00cm
FB-R-014D	FB-S-014D	0.50mm, 22.00cm
FB-R-014E	FB-S-014E	0.50mm, 24.00cm
FB-R-014F	FB-S-014F	1.00mm, 15.50cm
FB-R-014G	FB-S-014G	1.00mm, 18.00cm
FB-R-014H	FB-S-014H	1.00mm, 20.00cm
FB-R-014I	FB-S-014I	1.00mm, 22.00cm
FB-R-014J	FB-S-014J	1.00mm, 24.00cm
FB-R-014K	FB-S-014K	2.00mm, 24.00cm
FB-R-014L	FB-S-014L	2.00mm, 15.50cm
FB-R-014M	FB-S-014M	2.00mm, 18.00cm
FB-R-014N	FB-S-014N	2.00mm, 20.00cm
FB-R-014O	FB-S-014O	2.00mm, 22.00cm
FB-R-014P	FB-S-014P	2.00mm, 24.00cm
FB-R-014Q	FB-S-014Q	On Demand, Custom (On Demand)
FB-R-014R	FB-S-014R	On Demand, Custom (On Demand)
FB-R-014S	FB-S-014S	On Demand, Custom (On Demand)
FB-R-014T	FB-S-014T	On Demand, Custom (On Demand)

CUSHING BIPOLAR FORCEPS GRUSH STYLE

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-012A	FB-S-012A	0.50mm, 22.00cm
FB-R-012B	FB-S-012B	0.50mm, 24.00cm
FB-R-012C	FB-S-012C	0.50mm, 15.50cm
FB-R-012D	FB-S-012D	0.50mm, 18.00cm
FB-R-012E	FB-S-012E	0.50mm, 20.00cm
FB-R-012F	FB-S-012F	0.50mm, 22.00cm
FB-R-012G	FB-S-012G	0.50mm, 24.00cm
FB-R-012H	FB-S-012H	1.00mm, 22.00cm
FB-R-012I	FB-S-012I	1.00mm, 24.00cm
FB-R-012J	FB-S-012J	1.00mm, 15.50cm
FB-R-012K	FB-S-012K	1.00mm, 18.00cm
FB-R-012L	FB-S-012L	1.00mm, 20.00cm
FB-R-012M	FB-S-012M	1.00mm, 22.00cm
FB-R-012N	FB-S-012N	1.00mm, 24.00cm
FB-R-012O	FB-S-012O	1.50mm, 22.00cm
FB-R-012P	FB-S-012P	1.50mm, 24.00cm
FB-R-012Q	FB-S-012Q	1.50mm, 15.50cm
FB-R-012R	FB-S-012R	1.50mm, 18.00cm
FB-R-012S	FB-S-012S	1.50mm, 20.00cm
FB-R-012T	FB-S-012T	1.50mm, 22.00cm
FB-R-012U	FB-S-012U	1.50mm, 24.00cm
FB-R-012V	FB-S-012V	On Demand, Custom (On Demand)
FB-R-012W	FB-S-012W	On Demand, Custom (On Demand)
FB-R-012X	FB-S-012X	On Demand, Custom (On Demand)
FB-R-012Y	FB-S-012Y	On Demand, Custom (On Demand)
FB-R-012Z	FB-S-012Z	On Demand, Custom (On Demand)
FB-R-012AA	FB-S-012AA	On Demand, Custom (On Demand)
FB-R-012AB	FB-S-012AB	On Demand, Custom (On Demand)

HARDY BIPOLAR FORCEPS STRAIGHT SHAPE DOUBLE STOPPER

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-015A	FB-S-015A	0.50mm, 15.50cm

HARDY BIPOLAR FORCEPS STRAIGHT SHAPE DOUBLE STOPPER (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-015B	FB-S-015B	0.50mm, 18.00cm
FB-R-015C	FB-S-015C	0.50mm, 20.00cm
FB-R-015D	FB-S-015D	0.50mm, 22.00cm
FB-R-015E	FB-S-015E	0.50mm, 24.00cm
FB-R-015F	FB-S-015F	1.00mm, 15.50cm
FB-R-015G	FB-S-015G	1.00mm, 18.00cm
FB-R-015H	FB-S-015H	1.00mm, 20.00cm
FB-R-015I	FB-S-015I	1.00mm, 22.00cm
FB-R-015J	FB-S-015J	1.00mm, 24.00cm
FB-R-015K	FB-S-015K	2.00mm, 15.50cm
FB-R-015L	FB-S-015L	2.00mm, 18.00cm
FB-R-015M	FB-S-015M	2.00mm, 20.00cm
FB-R-015N	FB-S-015N	2.00mm, 22.00cm
FB-R-015O	FB-S-015O	2.00mm, 24.00cm
FB-R-015P	FB-S-015P	On Demand, Custom (On Demand)
FB-R-015Q	FB-S-015Q	On Demand, Custom (On Demand)
FB-R-015R	FB-S-015R	On Demand, Custom (On Demand)
FB-R-015S	FB-S-015S	On Demand, Custom (On Demand)
FB-R-015T	FB-S-015T	On Demand, Custom (On Demand)

MALIS BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-020A	FB-S-020A	0.50mm, 15.50cm
FB-R-020B	FB-S-020B	0.50mm, 18.00cm
FB-R-020C	FB-S-020C	0.50mm, 20.00cm
FB-R-020D	FB-S-020D	0.50mm, 22.00cm
FB-R-020E	FB-S-020E	0.50mm, 24.00cm
FB-R-020F	FB-S-020F	0.50mm, 15.50cm
FB-R-020G	FB-S-020G	0.50mm, 18.00cm
FB-R-020H	FB-S-020H	0.50mm, 20.00cm
FB-R-020I	FB-S-020I	1.00mm, 15.50cm
FB-R-020J	FB-S-020J	1.00mm, 18.00cm

MALIS BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-020K	FB-S-020K	1.00mm, 20.00cm
FB-R-020L	FB-S-020L	1.00mm, 22.00cm
FB-R-020M	FB-S-020M	1.00mm, 24.00cm
FB-R-020N	FB-S-020N	1.00mm, 15.50cm
FB-R-020O	FB-S-020O	1.00mm, 18.00cm
FB-R-020P	FB-S-020P	1.00mm, 20.00cm
FB-R-020Q	FB-S-020Q	2.00mm, 15.50cm
FB-R-020R	FB-S-020R	2.00mm, 18.00cm
FB-R-020S	FB-S-020S	2.00mm, 20.00cm
FB-R-020T	FB-S-020T	2.00mm, 22.00cm
FB-R-020U	FB-S-020U	2.00mm, 24.00cm
FB-R-020V	FB-S-020V	2.00mm, 15.50cm
FB-R-020W	FB-S-020W	2.00mm, 18.00cm
FB-R-020X	FB-S-020X	2.00mm, 20.00cm
FB-R-020Y	FB-S-020Y	On Demand, Custom (On Demand)
FB-R-020Z	FB-S-020Z	On Demand, Custom (On Demand)
FB-R-020AA	FB-S-020AA	On Demand, Custom (On Demand)
FB-R-020AB	FB-S-020AB	On Demand, Custom (On Demand)
FB-R-020AC	FB-S-020AC	On Demand, Custom (On Demand)
FB-R-020AD	FB-S-020AD	On Demand, Custom (On Demand)
FB-R-020AE	FB-S-020AE	On Demand, Custom (On Demand)
FB-R-020AF	FB-S-020AF	On Demand, Custom (On Demand)

SCOVILLE BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-037A	FB-S-037A	0.50mm, 22.00cm
FB-R-037B	FB-S-037B	0.50mm, 24.00cm
FB-R-037C	FB-S-037C	0.50mm, 15.50cm
FB-R-037D	FB-S-037D	0.50mm, 18.00cm
FB-R-037E	FB-S-037E	0.50mm, 20.00cm
FB-R-037F	FB-S-037F	0.50mm, 22.00cm
FB-R-037G	FB-S-037G	0.50mm, 24.00cm

SCOVILLE BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-037H	FB-S-037H	1.00mm, 22.00cm
FB-R-037I	FB-S-037I	1.00mm, 24.00cm
FB-R-037J	FB-S-037J	1.00mm, 15.50cm
FB-R-037K	FB-S-037K	1.00mm, 18.00cm
FB-R-037L	FB-S-037L	1.00mm, 20.00cm
FB-R-037M	FB-S-037M	1.00mm, 22.00cm
FB-R-037N	FB-S-037N	1.00mm, 24.00cm
FB-R-037O	FB-S-037O	2.00mm, 22.00cm
FB-R-037P	FB-S-037P	2.00mm, 24.00cm
FB-R-037Q	FB-S-037Q	2.00mm, 15.50cm
FB-R-037R	FB-S-037R	2.00mm, 18.00cm
FB-R-037S	FB-S-037S	2.00mm, 20.00cm
FB-R-037T	FB-S-037T	2.00mm, 22.00cm
FB-R-037U	FB-S-037U	2.00mm, 24.00cm
FB-R-037V	FB-S-037V	On Demand, Custom (On Demand)
FB-R-037W	FB-S-037W	On Demand, Custom (On Demand)
FB-R-037X	FB-S-037X	On Demand, Custom (On Demand)
FB-R-037Y	FB-S-037Y	On Demand, Custom (On Demand)
FB-R-037Z	FB-S-037Z	On Demand, Custom (On Demand)
FB-R-037AA	FB-S-037AA	On Demand, Custom (On Demand)

Special & Irrigation

SPECIAL OPHTHALMIC BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-041A	FB-S-041A	0.50mm, 4.10cm
FB-R-041B	FB-S-041B	0.50mm, 6.50cm
FB-R-041C	FB-S-041C	0.50mm, 11.50cm
FB-R-041D	FB-S-041D	0.50mm, 12.10cm
FB-R-041E	FB-S-041E	0.50mm, 15.00cm
FB-R-041F	FB-S-041F	0.50mm, 10.80cm
FB-R-041G	FB-S-041G	0.50mm, 14.00cm

SPECIAL OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-041H	FB-S-041H	0.50mm, 16.00cm
FB-R-041I	FB-S-041I	0.70mm, 4.10cm
FB-R-041J	FB-S-041J	0.70mm, 6.50cm
FB-R-041K	FB-S-041K	0.70mm, 11.50cm
FB-R-041L	FB-S-041L	0.70mm, 12.10cm
FB-R-041M	FB-S-041M	0.70mm, 15.00cm
FB-R-041N	FB-S-041N	1.00mm, 4.10cm
FB-R-041O	FB-S-041O	1.00mm, 6.50cm
FB-R-041P	FB-S-041P	1.00mm, 11.50cm
FB-R-041Q	FB-S-041Q	1.00mm, 12.10cm
FB-R-041R	FB-S-041R	1.00mm, 15.00cm
FB-R-041S	FB-S-041S	1.00mm, 10.80cm
FB-R-041T	FB-S-041T	1.00mm, 14.00cm
FB-R-041U	FB-S-041U	1.00mm, 16.00cm
FB-R-041V	FB-S-041V	1.50mm, 4.10cm
FB-R-041W	FB-S-041W	1.50mm, 6.50cm
FB-R-041X	FB-S-041X	1.50mm, 11.50cm
FB-R-041Y	FB-S-041Y	1.50mm, 12.10cm
FB-R-041Z	FB-S-041Z	1.50mm, 15.00cm
FB-R-041AA	FB-S-041AA	2.00mm, 10.80cm
FB-R-041AB	FB-S-041AB	2.00mm, 14.00cm
FB-R-041AC	FB-S-041AC	2.00mm, 16.00cm
FB-R-041AD	FB-S-041AD	On Demand, Custom (On Demand)
FB-R-041AE	FB-S-041AE	On Demand, Custom (On Demand)
FB-R-041AF	FB-S-041AF	On Demand, Custom (On Demand)
FB-R-041AG	FB-S-041AG	On Demand, Custom (On Demand)
FB-R-041AH	FB-S-041AH	On Demand, Custom (On Demand)
FB-R-041AI	FB-S-041AI	On Demand, Custom (On Demand)
FB-R-041AJ	FB-S-041AJ	On Demand, Custom (On Demand)
FB-R-041AK	FB-S-041AK	On Demand, Custom (On Demand)

SPECIAL STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-042A	FB-S-042A	0.50mm, 18.00cm
FB-R-042B	FB-S-042B	0.50mm, 20.00cm
FB-R-042C	FB-S-042C	0.50mm, 15.50cm
FB-R-042D	FB-S-042D	0.50mm, 18.00cm
FB-R-042E	FB-S-042E	0.50mm, 20.00cm
FB-R-042F	FB-S-042F	0.50mm, 22.00cm
FB-R-042G	FB-S-042G	0.50mm, 24.00cm
FB-R-042H	FB-S-042H	1.00mm, 18.00cm
FB-R-042I	FB-S-042I	1.00mm, 20.00cm
FB-R-042J	FB-S-042J	1.00mm, 15.50cm
FB-R-042K	FB-S-042K	1.00mm, 18.00cm
FB-R-042L	FB-S-042L	1.00mm, 20.00cm
FB-R-042M	FB-S-042M	1.00mm, 22.00cm
FB-R-042N	FB-S-042N	1.00mm, 24.00cm
FB-R-042O	FB-S-042O	2.00mm, 18.00cm
FB-R-042P	FB-S-042P	2.00mm, 20.00cm
FB-R-042Q	FB-S-042Q	2.00mm, 15.50cm
FB-R-042R	FB-S-042R	2.00mm, 18.00cm
FB-R-042S	FB-S-042S	2.00mm, 20.00cm
FB-R-042T	FB-S-042T	2.00mm, 22.00cm
FB-R-042U	FB-S-042U	2.00mm, 24.00cm
FB-R-042V	FB-S-042V	On Demand, Custom (On Demand)
FB-R-042W	FB-S-042W	On Demand, Custom (On Demand)
FB-R-042X	FB-S-042X	On Demand, Custom (On Demand)
FB-R-042Y	FB-S-042Y	On Demand, Custom (On Demand)
FB-R-042Z	FB-S-042Z	On Demand, Custom (On Demand)
FB-R-042AA	FB-S-042AA	On Demand, Custom (On Demand)
FB-R-042AB	FB-S-042AB	On Demand, Custom (On Demand)

IRRIGATION BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-016A	FB-S-016A	0.50mm, 22.00cm

IRRIGATION BAYONET BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-016B	FB-S-016B	0.50mm, 24.00cm
FB-R-016C	FB-S-016C	0.50mm, 15.50cm
FB-R-016D	FB-S-016D	0.50mm, 18.00cm
FB-R-016E	FB-S-016E	0.50mm, 20.00cm
FB-R-016F	FB-S-016F	0.50mm, 22.00cm
FB-R-016G	FB-S-016G	0.50mm, 24.00cm
FB-R-016H	FB-S-016H	1.00mm, 22.00cm
FB-R-016I	FB-S-016I	1.00mm, 24.00cm
FB-R-016J	FB-S-016J	1.00mm, 15.50cm
FB-R-016K	FB-S-016K	1.00mm, 18.00cm
FB-R-016L	FB-S-016L	1.00mm, 20.00cm
FB-R-016M	FB-S-016M	1.00mm, 24.00cm
FB-R-016N	FB-S-016N	2.00mm, 22.00cm
FB-R-016O	FB-S-016O	2.00mm, 24.00cm
FB-R-016P	FB-S-016P	2.00mm, 15.50cm
FB-R-016Q	FB-S-016Q	2.00mm, 18.00cm
FB-R-016R	FB-S-016R	2.00mm, 20.00cm
FB-R-016S	FB-S-016S	2.00mm, 22.00cm
FB-R-016T	FB-S-016T	2.00mm, 24.00cm
FB-R-016U	FB-S-016U	On Demand, Custom (On Demand)
FB-R-016V	FB-S-016V	On Demand, Custom (On Demand)
FB-R-016W	FB-S-016W	On Demand, Custom (On Demand)
FB-R-016X	FB-S-016X	On Demand, Custom (On Demand)
FB-R-016Y	FB-S-016Y	On Demand, Custom (On Demand)
FB-R-016Z	FB-S-016Z	On Demand, Custom (On Demand)
FB-R-016AA	FB-S-016AA	On Demand, Custom (On Demand)

IRRIGATION CUSHING BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-017A	FB-S-017A	0.50mm, 15.50cm
FB-R-017B	FB-S-017B	0.50mm, 18.00cm
FB-R-017C	FB-S-017C	0.50mm, 20.00cm

IRRIGATION CUSHING BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-017D	FB-S-017D	0.50mm, 22.00cm
FB-R-017E	FB-S-017E	0.50mm, 24.00cm
FB-R-017F	FB-S-017F	0.50mm, 15.50cm
FB-R-017G	FB-S-017G	0.50mm, 18.00cm
FB-R-017H	FB-S-017H	1.00mm, 15.50cm
FB-R-017I	FB-S-017I	1.00mm, 18.00cm
FB-R-017J	FB-S-017J	1.00mm, 20.00cm
FB-R-017K	FB-S-017K	1.00mm, 22.00cm
FB-R-017L	FB-S-017L	1.00mm, 24.00cm
FB-R-017M	FB-S-017M	1.00mm, 15.50cm
FB-R-017N	FB-S-017N	1.00mm, 18.00cm
FB-R-017O	FB-S-017O	2.00mm, 15.50cm
FB-R-017P	FB-S-017P	2.00mm, 18.00cm
FB-R-017Q	FB-S-017Q	2.00mm, 20.00cm
FB-R-017R	FB-S-017R	2.00mm, 22.00cm
FB-R-017S	FB-S-017S	2.00mm, 24.00cm
FB-R-017T	FB-S-017T	2.00mm, 15.50cm
FB-R-017U	FB-S-017U	2.00mm, 18.00cm
FB-R-017V	FB-S-017V	On Demand, Custom (On Demand)
FB-R-017W	FB-S-017W	On Demand, Custom (On Demand)
FB-R-017X	FB-S-017X	On Demand, Custom (On Demand)
FB-R-017Y	FB-S-017Y	On Demand, Custom (On Demand)
FB-R-017Z	FB-S-017Z	On Demand, Custom (On Demand)
FB-R-017AA	FB-S-017AA	On Demand, Custom (On Demand)
FB-R-017AB	FB-S-017AB	On Demand, Custom (On Demand)

IRRIGATION JENSEN BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-018A	FB-S-018A	0.50mm, 20.00cm
FB-R-018B	FB-S-018B	0.50mm, 22.00cm
FB-R-018C	FB-S-018C	0.50mm, 18.00cm
FB-R-018D	FB-S-018D	0.50mm, 20.00cm

IRRIGATION JENSEN BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-018E	FB-S-018E	0.50mm, 22.00cm
FB-R-018F	FB-S-018F	0.50mm, 24.00cm
FB-R-018G	FB-S-018G	1.00mm, 20.00cm
FB-R-018H	FB-S-018H	1.00mm, 22.00cm
FB-R-018I	FB-S-018I	1.00mm, 24.00cm
FB-R-018J	FB-S-018J	1.00mm, 18.00cm
FB-R-018K	FB-S-018K	1.00mm, 20.00cm
FB-R-018L	FB-S-018L	1.00mm, 22.00cm
FB-R-018M	FB-S-018M	1.00mm, 24.00cm
FB-R-018N	FB-S-018N	2.00mm, 20.00cm
FB-R-018O	FB-S-018O	2.00mm, 22.00cm
FB-R-018P	FB-S-018P	2.00mm, 24.00cm
FB-R-018Q	FB-S-018Q	2.00mm, 18.00cm
FB-R-018R	FB-S-018R	2.00mm, 20.00cm
FB-R-018S	FB-S-018S	2.00mm, 22.00cm
FB-R-018T	FB-S-018T	2.00mm, 24.00cm
FB-R-018U	FB-S-018U	On Demand, Custom (On Demand)
FB-R-018V	FB-S-018V	On Demand, Custom (On Demand)
FB-R-018W	FB-S-018W	On Demand, Custom (On Demand)
FB-R-018X	FB-S-018X	On Demand, Custom (On Demand)
FB-R-018Y	FB-S-018Y	On Demand, Custom (On Demand)
FB-R-018Z	FB-S-018Z	On Demand, Custom (On Demand)
FB-R-018AA	FB-S-018AA	On Demand, Custom (On Demand)

IRRIGATION STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-019A	FB-S-019A	0.50mm, 15.50cm
FB-R-019B	FB-S-019B	0.50mm, 18.00cm
FB-R-019C	FB-S-019C	0.50mm, 20.00cm
FB-R-019D	FB-S-019D	0.50mm, 22.00cm
FB-R-019E	FB-S-019E	0.50mm, 24.00cm
FB-R-019F	FB-S-019F	0.50mm, 15.50cm

IRRIGATION STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-019G	FB-S-019G	0.50mm, 18.00cm
FB-R-019H	FB-S-019H	0.50mm, 20.00cm
FB-R-019I	FB-S-019I	1.00mm, 15.50cm
FB-R-019J	FB-S-019J	1.00mm, 18.00cm
FB-R-019K	FB-S-019K	1.00mm, 20.00cm
FB-R-019L	FB-S-019L	1.00mm, 22.00cm
FB-R-019M	FB-S-019M	1.00mm, 24.00cm
FB-R-019N	FB-S-019N	1.00mm, 15.50cm
FB-R-019O	FB-S-019O	1.00mm, 18.00cm
FB-R-019P	FB-S-019P	1.00mm, 20.00cm
FB-R-019Q	FB-S-019Q	2.00mm, 15.50cm
FB-R-019R	FB-S-019R	2.00mm, 18.00cm
FB-R-019S	FB-S-019S	2.00mm, 20.00cm
FB-R-019T	FB-S-019T	2.00mm, 22.00cm
FB-R-019U	FB-S-019U	2.00mm, 24.00cm
FB-R-019V	FB-S-019V	2.00mm, 15.50cm
FB-R-019W	FB-S-019W	2.00mm, 18.00cm
FB-R-019X	FB-S-019X	2.00mm, 20.00cm
FB-R-019Y	FB-S-019Y	On Demand, Custom (On Demand)
FB-R-019Z	FB-S-019Z	On Demand, Custom (On Demand)
FB-R-019AA	FB-S-019AA	On Demand, Custom (On Demand)
FB-R-019AB	FB-S-019AB	On Demand, Custom (On Demand)
FB-R-019AC	FB-S-019AC	On Demand, Custom (On Demand)
FB-R-019AD	FB-S-019AD	On Demand, Custom (On Demand)
FB-R-019AE	FB-S-019AE	On Demand, Custom (On Demand)
FB-R-019AF	FB-S-019AF	On Demand, Custom (On Demand)