

ELECTROSURGICAL & SURGICAL INSTRUMENTS

Complete Product Range

Bipolar and monopolar forceps, cables, pencils, electrodes, laparoscopic instruments, patient return plates, and gynaecology instruments — reusable and single-use, matched throughout.

PRODUCT RANGE

Contents

01 Electrosurgery Forceps – Bipolar

Standard / Premium / Attached Cable

02 Electrosurgery Forceps – Monopolar

03 Electrosurgery Cables – Bipolar

04 Electrosurgery Cables – Monopolar

05 Diathermy Pencils

06 Electrodes

07 Laparoscopic Instruments

08 Patient Return Plates & Accessories


09 Gynaecology Instruments

Standard Forceps

01 Flat Plug Patterns

02 Two-Pin Patterns

03 Special & Irrigation



Flat Plug Patterns

OPHTHALMIC BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036A	FB-S-036A	0.30mm, 11.50cm
FB-R-036B	FB-S-036B	0.30mm, 10.20cm
FB-R-036C	FB-S-036C	0.30mm, 10.80cm
FB-R-036D	FB-S-036D	0.50mm, 12.10cm
FB-R-036E	FB-S-036E	0.50mm, 15cm
FB-R-036F	FB-S-036F	0.50mm, 11.50cm
FB-R-036G	FB-S-036G	0.50mm, 11.50cm
FB-R-036H	FB-S-036H	0.50mm, 11.50cm
FB-R-036I	FB-S-036I	0.50mm, 10.20cm
FB-R-036J	FB-S-036J	0.50mm, 12.10cm
FB-R-036K	FB-S-036K	0.50mm, 11.50cm
FB-R-036L	FB-S-036L	0.50mm, 15.50cm
FB-R-036M	FB-S-036M	0.50mm, 18.00cm
FB-R-036N	FB-S-036N	0.50mm, 20.00cm
FB-R-036O	FB-S-036O	0.50mm, 22.00cm
FB-R-036P	FB-S-036P	0.50mm, 24.00cm
FB-R-036Q	FB-S-036Q	0.50mm, 10.20cm
FB-R-036R	FB-S-036R	0.50mm, 10.80cm
FB-R-036S	FB-S-036S	0.50mm, 11.50cm
FB-R-036T	FB-S-036T	0.50mm, 11.50cm
FB-R-036U	FB-S-036U	0.50mm, 11.50cm
FB-R-036V	FB-S-036V	0.50mm, 11.50cm
FB-R-036W	FB-S-036W	0.70mm, 12.10cm
FB-R-036X	FB-S-036X	0.70mm, 15cm
FB-R-036Y	FB-S-036Y	0.70mm, 11.50cm
FB-R-036Z	FB-S-036Z	0.70mm, 11.50cm
FB-R-036AA	FB-S-036AA	0.70mm, 10.20cm
FB-R-036AB	FB-S-036AB	0.70mm, 10.20cm
FB-R-036AC	FB-S-036AC	0.70mm, 10.80cm

OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036AD	FB-S-036AD	0.70mm, 11.50cm
FB-R-036AE	FB-S-036AE	0.70mm, 11.50cm
FB-R-036AF	FB-S-036AF	0.70mm, 11.50cm
FB-R-036AG	FB-S-036AG	0.70mm, 11.50cm
FB-R-036AH	FB-S-036AH	1.00mm, 12.10cm
FB-R-036AI	FB-S-036AI	1.00mm, 15cm
FB-R-036AJ	FB-S-036AJ	1.00mm, 11.50cm
FB-R-036AK	FB-S-036AK	1.00mm, 11.50cm
FB-R-036AL	FB-S-036AL	1.00mm, 11.50cm
FB-R-036AM	FB-S-036AM	1.00mm, 10.20cm
FB-R-036AN	FB-S-036AN	1.00mm, 12.10cm
FB-R-036AO	FB-S-036AO	1.00mm, 11.50cm
FB-R-036AP	FB-S-036AP	1.00mm, 15.50cm
FB-R-036AQ	FB-S-036AQ	1.00mm, 18.00cm
FB-R-036AR	FB-S-036AR	1.00mm, 20.00cm
FB-R-036AS	FB-S-036AS	1.00mm, 22.00cm
FB-R-036AT	FB-S-036AT	1.00mm, 24.00cm
FB-R-036AU	FB-S-036AU	1.00mm, 10.20cm
FB-R-036AV	FB-S-036AV	1.00mm, 10.80cm
FB-R-036AW	FB-S-036AW	1.00mm, 11.50cm
FB-R-036AX	FB-S-036AX	1.00mm, 11.50cm
FB-R-036AY	FB-S-036AY	1.00mm, 11.50cm
FB-R-036AZ	FB-S-036AZ	1.00mm, 11.50cm
FB-R-036BA	FB-S-036BA	1.50mm, 12.10cm
FB-R-036BB	FB-S-036BB	1.50mm, 15cm
FB-R-036BC	FB-S-036BC	1.50mm, 11.50cm
FB-R-036BD	FB-S-036BD	1.50mm, 11.50cm
FB-R-036BE	FB-S-036BE	1.50mm, 11.50cm
FB-R-036BF	FB-S-036BF	1.50mm, 10.20cm
FB-R-036BG	FB-S-036BG	1.50mm, 12.10cm

OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-036BH	FB-S-036BH	1.50mm, 11.50cm
FB-R-036BI	FB-S-036BI	1.50mm, 11.50cm
FB-R-036BJ	FB-S-036BJ	1.50mm, 11.50cm
FB-R-036BK	FB-S-036BK	1.50mm, 11.50cm
FB-R-036BL	FB-S-036BL	1.50mm, 11.50cm
FB-R-036BM	FB-S-036BM	2.00mm, 15.50cm
FB-R-036BN	FB-S-036BN	2.00mm, 18.00cm
FB-R-036BO	FB-S-036BO	2.00mm, 20.00cm
FB-R-036BP	FB-S-036BP	2.00mm, 22.00cm
FB-R-036BQ	FB-S-036BQ	2.00mm, 24.00cm
FB-R-036BR	FB-S-036BR	On Demand, Custom (On Demand)
FB-R-036BS	FB-S-036BS	On Demand, Custom (On Demand)
FB-R-036BT	FB-S-036BT	On Demand, Custom (On Demand)
FB-R-036BU	FB-S-036BU	On Demand, Custom (On Demand)
FB-R-036BV	FB-S-036BV	On Demand, Custom (On Demand)
FB-R-036BW	FB-S-036BW	On Demand, Custom (On Demand)
FB-R-036BX	FB-S-036BX	On Demand, Custom (On Demand)
FB-R-036BY	FB-S-036BY	On Demand, Custom (On Demand)
FB-R-036BZ	FB-S-036BZ	On Demand, Custom (On Demand)
FB-R-036CA	FB-S-036CA	On Demand, Custom (On Demand)
FB-R-036CB	FB-S-036CB	On Demand, Custom (On Demand)
FB-R-036CC	FB-S-036CC	On Demand, Custom (On Demand)
FB-R-036CD	FB-S-036CD	On Demand, Custom (On Demand)
FB-R-036CE	FB-S-036CE	On Demand, Custom (On Demand)
FB-R-036CF	FB-S-036CF	On Demand, Custom (On Demand)
FB-R-036CG	FB-S-036CG	On Demand, Custom (On Demand)
FB-R-036CH	FB-S-036CH	On Demand, Custom (On Demand)

ADSON BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-001A	FB-S-001A	0.50mm, 12.10cm
FB-R-001B	FB-S-001B	0.50mm, 12.10cm

ADSON BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-001C	FB-S-001C	0.50mm, 15.50cm
FB-R-001D	FB-S-001D	0.50mm, 18.00cm
FB-R-001E	FB-S-001E	0.50mm, 20.00cm
FB-R-001F	FB-S-001F	0.70mm, 12.10cm
FB-R-001G	FB-S-001G	0.70mm, 12.10cm
FB-R-001H	FB-S-001H	1.00mm, 12.10cm
FB-R-001I	FB-S-001I	1.00mm, 12.10cm
FB-R-001J	FB-S-001J	1.00mm, 15.50cm
FB-R-001K	FB-S-001K	1.00mm, 18.00cm
FB-R-001L	FB-S-001L	1.00mm, 20.00cm
FB-R-001M	FB-S-001M	1.50mm, 12.10cm
FB-R-001N	FB-S-001N	1.50mm, 12.10cm
FB-R-001O	FB-S-001O	1.50mm, 15.50cm
FB-R-001P	FB-S-001P	1.50mm, 18.00cm
FB-R-001Q	FB-S-001Q	1.50mm, 20.00cm
FB-R-001R	FB-S-001R	On Demand, Custom (On Demand)
FB-R-001S	FB-S-001S	On Demand, Custom (On Demand)
FB-R-001T	FB-S-001T	On Demand, Custom (On Demand)
FB-R-001U	FB-S-001U	On Demand, Custom (On Demand)
FB-R-001V	FB-S-001V	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-044A	FB-S-044A	0.50mm, 15.50cm
FB-R-044B	FB-S-044B	0.50mm, 18.00cm
FB-R-044C	FB-S-044C	0.50mm, 20.00cm
FB-R-044D	FB-S-044D	0.50mm, 22.00cm
FB-R-044E	FB-S-044E	0.50mm, 24.00cm
FB-R-044F	FB-S-044F	1.00mm, 15.50cm
FB-R-044G	FB-S-044G	1.00mm, 18.00cm
FB-R-044H	FB-S-044H	1.00mm, 20.00cm
FB-R-044I	FB-S-044I	1.00mm, 22.00cm

STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-044J	FB-S-044J	1.00mm, 24.00cm
FB-R-044K	FB-S-044K	2.00mm, 15.50cm
FB-R-044L	FB-S-044L	2.00mm, 18.00cm
FB-R-044M	FB-S-044M	2.00mm, 20.00cm
FB-R-044N	FB-S-044N	2.00mm, 22.00cm
FB-R-044O	FB-S-044O	2.00mm, 24.00cm
FB-R-044P	FB-S-044P	On Demand, Custom (On Demand)
FB-R-044Q	FB-S-044Q	On Demand, Custom (On Demand)
FB-R-044R	FB-S-044R	On Demand, Custom (On Demand)
FB-R-044S	FB-S-044S	On Demand, Custom (On Demand)
FB-R-044T	FB-S-044T	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS ANGLE TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-045A	FB-S-045A	0.50mm, 15.50cm
FB-R-045B	FB-S-045B	0.50mm, 18.00cm
FB-R-045C	FB-S-045C	0.50mm, 20.00cm
FB-R-045D	FB-S-045D	0.50mm, 22.00cm
FB-R-045E	FB-S-045E	0.50mm, 24.00cm
FB-R-045F	FB-S-045F	1.00mm, 15.50cm
FB-R-045G	FB-S-045G	1.00mm, 18.00cm
FB-R-045H	FB-S-045H	1.00mm, 20.00cm
FB-R-045I	FB-S-045I	1.00mm, 22.00cm
FB-R-045J	FB-S-045J	1.00mm, 24.00cm
FB-R-045K	FB-S-045K	2.00mm, 15.50cm
FB-R-045L	FB-S-045L	2.00mm, 18.00cm
FB-R-045M	FB-S-045M	2.00mm, 20.00cm
FB-R-045N	FB-S-045N	2.00mm, 22.00cm
FB-R-045O	FB-S-045O	2.00mm, 24.00cm
FB-R-045P	FB-S-045P	On Demand, Custom (On Demand)
FB-R-045Q	FB-S-045Q	On Demand, Custom (On Demand)
FB-R-045R	FB-S-045R	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR FORCEPS ANGLE TIP (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-045S	FB-S-045S	On Demand, Custom (On Demand)
FB-R-045T	FB-S-045T	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-009A	FB-S-009A	0.50mm, 15.50cm
FB-R-009B	FB-S-009B	0.50mm, 18.00cm
FB-R-009C	FB-S-009C	0.50mm, 20.00cm
FB-R-009D	FB-S-009D	0.50mm, 22.00cm
FB-R-009E	FB-S-009E	0.50mm, 24.00cm
FB-R-009F	FB-S-009F	0.50mm, 15.50cm
FB-R-009G	FB-S-009G	0.50mm, 18.00cm
FB-R-009H	FB-S-009H	0.50mm, 20.00cm
FB-R-009I	FB-S-009I	1.00mm, 15.50cm
FB-R-009J	FB-S-009J	1.00mm, 18.00cm
FB-R-009K	FB-S-009K	1.00mm, 20.00cm
FB-R-009L	FB-S-009L	1.00mm, 22.00cm
FB-R-009M	FB-S-009M	1.00mm, 24.00cm
FB-R-009N	FB-S-009N	1.00mm, 15.50cm
FB-R-009O	FB-S-009O	1.00mm, 18.00cm
FB-R-009P	FB-S-009P	1.00mm, 20.00cm
FB-R-009Q	FB-S-009Q	2.00mm, 15.50cm
FB-R-009R	FB-S-009R	2.00mm, 18.00cm
FB-R-009S	FB-S-009S	2.00mm, 20.00cm
FB-R-009T	FB-S-009T	2.00mm, 22.00cm
FB-R-009U	FB-S-009U	2.00mm, 24.00cm
FB-R-009V	FB-S-009V	2.00mm, 15.50cm
FB-R-009W	FB-S-009W	2.00mm, 18.00cm
FB-R-009X	FB-S-009X	2.00mm, 20.00cm
FB-R-009Y	FB-S-009Y	On Demand, Custom (On Demand)
FB-R-009Z	FB-S-009Z	On Demand, Custom (On Demand)
FB-R-009AA	FB-S-009AA	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-009AB	FB-S-009AB	On Demand, Custom (On Demand)
FB-R-009AC	FB-S-009AC	On Demand, Custom (On Demand)
FB-R-009AD	FB-S-009AD	On Demand, Custom (On Demand)
FB-R-009AE	FB-S-009AE	On Demand, Custom (On Demand)
FB-R-009AF	FB-S-009AF	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS ANGLE TIP UP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-010A	FB-S-010A	0.50mm, 22.00cm
FB-R-010B	FB-S-010B	0.50mm, 24.00cm
FB-R-010C	FB-S-010C	0.50mm, 15.50cm
FB-R-010D	FB-S-010D	0.50mm, 18.00cm
FB-R-010E	FB-S-010E	0.50mm, 20.00cm
FB-R-010F	FB-S-010F	0.50mm, 22.00cm
FB-R-010G	FB-S-010G	0.50mm, 24.00cm
FB-R-010H	FB-S-010H	1.00mm, 22.00cm
FB-R-010I	FB-S-010I	1.00mm, 24.00cm
FB-R-010J	FB-S-010J	1.00mm, 15.50cm
FB-R-010K	FB-S-010K	1.00mm, 18.00cm
FB-R-010L	FB-S-010L	1.00mm, 20.00cm
FB-R-010M	FB-S-010M	1.00mm, 24.00cm
FB-R-010N	FB-S-010N	2.00mm, 22.00cm
FB-R-010O	FB-S-010O	2.00mm, 24.00cm
FB-R-010P	FB-S-010P	2.00mm, 15.50cm
FB-R-010Q	FB-S-010Q	2.00mm, 18.00cm
FB-R-010R	FB-S-010R	2.00mm, 20.00cm
FB-R-010S	FB-S-010S	2.00mm, 22.00cm
FB-R-010T	FB-S-010T	2.00mm, 24.00cm
FB-R-010U	FB-S-010U	On Demand, Custom (On Demand)
FB-R-010V	FB-S-010V	On Demand, Custom (On Demand)
FB-R-010W	FB-S-010W	On Demand, Custom (On Demand)
FB-R-010X	FB-S-010X	On Demand, Custom (On Demand)

BAYONET BIPOLAR FORCEPS ANGLE TIP UP (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-010Y	FB-S-010Y	On Demand, Custom (On Demand)
FB-R-010Z	FB-S-010Z	On Demand, Custom (On Demand)
FB-R-010AA	FB-S-010AA	On Demand, Custom (On Demand)

Two-Pin Patterns

GERALD STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-013A	FB-S-013A	0.50mm, 15.50cm
FB-R-013B	FB-S-013B	0.50mm, 18.00cm
FB-R-013C	FB-S-013C	0.50mm, 20.00cm
FB-R-013D	FB-S-013D	0.50mm, 22.00cm
FB-R-013E	FB-S-013E	0.50mm, 24.00cm
FB-R-013F	FB-S-013F	0.50mm, 15.50cm
FB-R-013G	FB-S-013G	0.50mm, 18.00cm
FB-R-013H	FB-S-013H	0.50mm, 20.00cm
FB-R-013I	FB-S-013I	1.00mm, 15.50cm
FB-R-013J	FB-S-013J	1.00mm, 18.00cm
FB-R-013K	FB-S-013K	1.00mm, 20.00cm
FB-R-013L	FB-S-013L	1.00mm, 22.00cm
FB-R-013M	FB-S-013M	1.00mm, 24.00cm
FB-R-013N	FB-S-013N	1.00mm, 15.50cm
FB-R-013O	FB-S-013O	1.00mm, 18.00cm
FB-R-013P	FB-S-013P	1.00mm, 20.00cm
FB-R-013Q	FB-S-013Q	2.00mm, 15.50cm
FB-R-013R	FB-S-013R	2.00mm, 18.00cm
FB-R-013S	FB-S-013S	2.00mm, 20.00cm
FB-R-013T	FB-S-013T	2.00mm, 22.00cm
FB-R-013U	FB-S-013U	2.00mm, 24.00cm
FB-R-013V	FB-S-013V	2.00mm, 15.50cm
FB-R-013W	FB-S-013W	2.00mm, 18.00cm
FB-R-013X	FB-S-013X	2.00mm, 20.00cm

GERALD STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-013Y	FB-S-013Y	On Demand, Custom (On Demand)
FB-R-013Z	FB-S-013Z	On Demand, Custom (On Demand)
FB-R-013AA	FB-S-013AA	On Demand, Custom (On Demand)
FB-R-013AB	FB-S-013AB	On Demand, Custom (On Demand)
FB-R-013AC	FB-S-013AC	On Demand, Custom (On Demand)
FB-R-013AD	FB-S-013AD	On Demand, Custom (On Demand)
FB-R-013AE	FB-S-013AE	On Demand, Custom (On Demand)
FB-R-013AF	FB-S-013AF	On Demand, Custom (On Demand)

GERALD STRAIGHT BIPOLAR FORCEPS ANGLE TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-014A	FB-S-014A	0.50mm, 15.50cm
FB-R-014B	FB-S-014B	0.50mm, 18.00cm
FB-R-014C	FB-S-014C	0.50mm, 20.00cm
FB-R-014D	FB-S-014D	0.50mm, 22.00cm
FB-R-014E	FB-S-014E	0.50mm, 24.00cm
FB-R-014F	FB-S-014F	1.00mm, 15.50cm
FB-R-014G	FB-S-014G	1.00mm, 18.00cm
FB-R-014H	FB-S-014H	1.00mm, 20.00cm
FB-R-014I	FB-S-014I	1.00mm, 22.00cm
FB-R-014J	FB-S-014J	1.00mm, 24.00cm
FB-R-014K	FB-S-014K	2.00mm, 24.00cm
FB-R-014L	FB-S-014L	2.00mm, 15.50cm
FB-R-014M	FB-S-014M	2.00mm, 18.00cm
FB-R-014N	FB-S-014N	2.00mm, 20.00cm
FB-R-014O	FB-S-014O	2.00mm, 22.00cm
FB-R-014P	FB-S-014P	2.00mm, 24.00cm
FB-R-014Q	FB-S-014Q	On Demand, Custom (On Demand)
FB-R-014R	FB-S-014R	On Demand, Custom (On Demand)
FB-R-014S	FB-S-014S	On Demand, Custom (On Demand)
FB-R-014T	FB-S-014T	On Demand, Custom (On Demand)

CUSHING BIPOLAR FORCEPS GRUSH STYLE

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-012A	FB-S-012A	0.50mm, 22.00cm
FB-R-012B	FB-S-012B	0.50mm, 24.00cm
FB-R-012C	FB-S-012C	0.50mm, 15.50cm
FB-R-012D	FB-S-012D	0.50mm, 18.00cm
FB-R-012E	FB-S-012E	0.50mm, 20.00cm
FB-R-012F	FB-S-012F	0.50mm, 22.00cm
FB-R-012G	FB-S-012G	0.50mm, 24.00cm
FB-R-012H	FB-S-012H	1.00mm, 22.00cm
FB-R-012I	FB-S-012I	1.00mm, 24.00cm
FB-R-012J	FB-S-012J	1.00mm, 15.50cm
FB-R-012K	FB-S-012K	1.00mm, 18.00cm
FB-R-012L	FB-S-012L	1.00mm, 20.00cm
FB-R-012M	FB-S-012M	1.00mm, 22.00cm
FB-R-012N	FB-S-012N	1.00mm, 24.00cm
FB-R-012O	FB-S-012O	1.50mm, 22.00cm
FB-R-012P	FB-S-012P	1.50mm, 24.00cm
FB-R-012Q	FB-S-012Q	1.50mm, 15.50cm
FB-R-012R	FB-S-012R	1.50mm, 18.00cm
FB-R-012S	FB-S-012S	1.50mm, 20.00cm
FB-R-012T	FB-S-012T	1.50mm, 22.00cm
FB-R-012U	FB-S-012U	1.50mm, 24.00cm
FB-R-012V	FB-S-012V	On Demand, Custom (On Demand)
FB-R-012W	FB-S-012W	On Demand, Custom (On Demand)
FB-R-012X	FB-S-012X	On Demand, Custom (On Demand)
FB-R-012Y	FB-S-012Y	On Demand, Custom (On Demand)
FB-R-012Z	FB-S-012Z	On Demand, Custom (On Demand)
FB-R-012AA	FB-S-012AA	On Demand, Custom (On Demand)
FB-R-012AB	FB-S-012AB	On Demand, Custom (On Demand)

HARDY BIPOLAR FORCEPS STRAIGHT SHAPE DOUBLE STOPPER

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-015A	FB-S-015A	0.50mm, 15.50cm

HARDY BIPOLAR FORCEPS STRAIGHT SHAPE DOUBLE STOPPER (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-015B	FB-S-015B	0.50mm, 18.00cm
FB-R-015C	FB-S-015C	0.50mm, 20.00cm
FB-R-015D	FB-S-015D	0.50mm, 22.00cm
FB-R-015E	FB-S-015E	0.50mm, 24.00cm
FB-R-015F	FB-S-015F	1.00mm, 15.50cm
FB-R-015G	FB-S-015G	1.00mm, 18.00cm
FB-R-015H	FB-S-015H	1.00mm, 20.00cm
FB-R-015I	FB-S-015I	1.00mm, 22.00cm
FB-R-015J	FB-S-015J	1.00mm, 24.00cm
FB-R-015K	FB-S-015K	2.00mm, 15.50cm
FB-R-015L	FB-S-015L	2.00mm, 18.00cm
FB-R-015M	FB-S-015M	2.00mm, 20.00cm
FB-R-015N	FB-S-015N	2.00mm, 22.00cm
FB-R-015O	FB-S-015O	2.00mm, 24.00cm
FB-R-015P	FB-S-015P	On Demand, Custom (On Demand)
FB-R-015Q	FB-S-015Q	On Demand, Custom (On Demand)
FB-R-015R	FB-S-015R	On Demand, Custom (On Demand)
FB-R-015S	FB-S-015S	On Demand, Custom (On Demand)
FB-R-015T	FB-S-015T	On Demand, Custom (On Demand)

MALIS BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-020A	FB-S-020A	0.50mm, 15.50cm
FB-R-020B	FB-S-020B	0.50mm, 18.00cm
FB-R-020C	FB-S-020C	0.50mm, 20.00cm
FB-R-020D	FB-S-020D	0.50mm, 22.00cm
FB-R-020E	FB-S-020E	0.50mm, 24.00cm
FB-R-020F	FB-S-020F	0.50mm, 15.50cm
FB-R-020G	FB-S-020G	0.50mm, 18.00cm
FB-R-020H	FB-S-020H	0.50mm, 20.00cm
FB-R-020I	FB-S-020I	1.00mm, 15.50cm
FB-R-020J	FB-S-020J	1.00mm, 18.00cm

MALIS BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-020K	FB-S-020K	1.00mm, 20.00cm
FB-R-020L	FB-S-020L	1.00mm, 22.00cm
FB-R-020M	FB-S-020M	1.00mm, 24.00cm
FB-R-020N	FB-S-020N	1.00mm, 15.50cm
FB-R-020O	FB-S-020O	1.00mm, 18.00cm
FB-R-020P	FB-S-020P	1.00mm, 20.00cm
FB-R-020Q	FB-S-020Q	2.00mm, 15.50cm
FB-R-020R	FB-S-020R	2.00mm, 18.00cm
FB-R-020S	FB-S-020S	2.00mm, 20.00cm
FB-R-020T	FB-S-020T	2.00mm, 22.00cm
FB-R-020U	FB-S-020U	2.00mm, 24.00cm
FB-R-020V	FB-S-020V	2.00mm, 15.50cm
FB-R-020W	FB-S-020W	2.00mm, 18.00cm
FB-R-020X	FB-S-020X	2.00mm, 20.00cm
FB-R-020Y	FB-S-020Y	On Demand, Custom (On Demand)
FB-R-020Z	FB-S-020Z	On Demand, Custom (On Demand)
FB-R-020AA	FB-S-020AA	On Demand, Custom (On Demand)
FB-R-020AB	FB-S-020AB	On Demand, Custom (On Demand)
FB-R-020AC	FB-S-020AC	On Demand, Custom (On Demand)
FB-R-020AD	FB-S-020AD	On Demand, Custom (On Demand)
FB-R-020AE	FB-S-020AE	On Demand, Custom (On Demand)
FB-R-020AF	FB-S-020AF	On Demand, Custom (On Demand)

SCOVILLE BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-037A	FB-S-037A	0.50mm, 22.00cm
FB-R-037B	FB-S-037B	0.50mm, 24.00cm
FB-R-037C	FB-S-037C	0.50mm, 15.50cm
FB-R-037D	FB-S-037D	0.50mm, 18.00cm
FB-R-037E	FB-S-037E	0.50mm, 20.00cm
FB-R-037F	FB-S-037F	0.50mm, 22.00cm
FB-R-037G	FB-S-037G	0.50mm, 24.00cm

SCOVILLE BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-037H	FB-S-037H	1.00mm, 22.00cm
FB-R-037I	FB-S-037I	1.00mm, 24.00cm
FB-R-037J	FB-S-037J	1.00mm, 15.50cm
FB-R-037K	FB-S-037K	1.00mm, 18.00cm
FB-R-037L	FB-S-037L	1.00mm, 20.00cm
FB-R-037M	FB-S-037M	1.00mm, 22.00cm
FB-R-037N	FB-S-037N	1.00mm, 24.00cm
FB-R-037O	FB-S-037O	2.00mm, 22.00cm
FB-R-037P	FB-S-037P	2.00mm, 24.00cm
FB-R-037Q	FB-S-037Q	2.00mm, 15.50cm
FB-R-037R	FB-S-037R	2.00mm, 18.00cm
FB-R-037S	FB-S-037S	2.00mm, 20.00cm
FB-R-037T	FB-S-037T	2.00mm, 22.00cm
FB-R-037U	FB-S-037U	2.00mm, 24.00cm
FB-R-037V	FB-S-037V	On Demand, Custom (On Demand)
FB-R-037W	FB-S-037W	On Demand, Custom (On Demand)
FB-R-037X	FB-S-037X	On Demand, Custom (On Demand)
FB-R-037Y	FB-S-037Y	On Demand, Custom (On Demand)
FB-R-037Z	FB-S-037Z	On Demand, Custom (On Demand)
FB-R-037AA	FB-S-037AA	On Demand, Custom (On Demand)

Special & Irrigation

SPECIAL OPHTHALMIC BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-041A	FB-S-041A	0.50mm, 4.10cm
FB-R-041B	FB-S-041B	0.50mm, 6.50cm
FB-R-041C	FB-S-041C	0.50mm, 11.50cm
FB-R-041D	FB-S-041D	0.50mm, 12.10cm
FB-R-041E	FB-S-041E	0.50mm, 15.00cm
FB-R-041F	FB-S-041F	0.50mm, 10.80cm
FB-R-041G	FB-S-041G	0.50mm, 14.00cm

SPECIAL OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-041H	FB-S-041H	0.50mm, 16.00cm
FB-R-041I	FB-S-041I	0.70mm, 4.10cm
FB-R-041J	FB-S-041J	0.70mm, 6.50cm
FB-R-041K	FB-S-041K	0.70mm, 11.50cm
FB-R-041L	FB-S-041L	0.70mm, 12.10cm
FB-R-041M	FB-S-041M	0.70mm, 15.00cm
FB-R-041N	FB-S-041N	1.00mm, 4.10cm
FB-R-041O	FB-S-041O	1.00mm, 6.50cm
FB-R-041P	FB-S-041P	1.00mm, 11.50cm
FB-R-041Q	FB-S-041Q	1.00mm, 12.10cm
FB-R-041R	FB-S-041R	1.00mm, 15.00cm
FB-R-041S	FB-S-041S	1.00mm, 10.80cm
FB-R-041T	FB-S-041T	1.00mm, 14.00cm
FB-R-041U	FB-S-041U	1.00mm, 16.00cm
FB-R-041V	FB-S-041V	1.50mm, 4.10cm
FB-R-041W	FB-S-041W	1.50mm, 6.50cm
FB-R-041X	FB-S-041X	1.50mm, 11.50cm
FB-R-041Y	FB-S-041Y	1.50mm, 12.10cm
FB-R-041Z	FB-S-041Z	1.50mm, 15.00cm
FB-R-041AA	FB-S-041AA	2.00mm, 10.80cm
FB-R-041AB	FB-S-041AB	2.00mm, 14.00cm
FB-R-041AC	FB-S-041AC	2.00mm, 16.00cm
FB-R-041AD	FB-S-041AD	On Demand, Custom (On Demand)
FB-R-041AE	FB-S-041AE	On Demand, Custom (On Demand)
FB-R-041AF	FB-S-041AF	On Demand, Custom (On Demand)
FB-R-041AG	FB-S-041AG	On Demand, Custom (On Demand)
FB-R-041AH	FB-S-041AH	On Demand, Custom (On Demand)
FB-R-041AI	FB-S-041AI	On Demand, Custom (On Demand)
FB-R-041AJ	FB-S-041AJ	On Demand, Custom (On Demand)
FB-R-041AK	FB-S-041AK	On Demand, Custom (On Demand)

SPECIAL STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-042A	FB-S-042A	0.50mm, 18.00cm
FB-R-042B	FB-S-042B	0.50mm, 20.00cm
FB-R-042C	FB-S-042C	0.50mm, 15.50cm
FB-R-042D	FB-S-042D	0.50mm, 18.00cm
FB-R-042E	FB-S-042E	0.50mm, 20.00cm
FB-R-042F	FB-S-042F	0.50mm, 22.00cm
FB-R-042G	FB-S-042G	0.50mm, 24.00cm
FB-R-042H	FB-S-042H	1.00mm, 18.00cm
FB-R-042I	FB-S-042I	1.00mm, 20.00cm
FB-R-042J	FB-S-042J	1.00mm, 15.50cm
FB-R-042K	FB-S-042K	1.00mm, 18.00cm
FB-R-042L	FB-S-042L	1.00mm, 20.00cm
FB-R-042M	FB-S-042M	1.00mm, 22.00cm
FB-R-042N	FB-S-042N	1.00mm, 24.00cm
FB-R-042O	FB-S-042O	2.00mm, 18.00cm
FB-R-042P	FB-S-042P	2.00mm, 20.00cm
FB-R-042Q	FB-S-042Q	2.00mm, 15.50cm
FB-R-042R	FB-S-042R	2.00mm, 18.00cm
FB-R-042S	FB-S-042S	2.00mm, 20.00cm
FB-R-042T	FB-S-042T	2.00mm, 22.00cm
FB-R-042U	FB-S-042U	2.00mm, 24.00cm
FB-R-042V	FB-S-042V	On Demand, Custom (On Demand)
FB-R-042W	FB-S-042W	On Demand, Custom (On Demand)
FB-R-042X	FB-S-042X	On Demand, Custom (On Demand)
FB-R-042Y	FB-S-042Y	On Demand, Custom (On Demand)
FB-R-042Z	FB-S-042Z	On Demand, Custom (On Demand)
FB-R-042AA	FB-S-042AA	On Demand, Custom (On Demand)
FB-R-042AB	FB-S-042AB	On Demand, Custom (On Demand)

IRRIGATION BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-016A	FB-S-016A	0.50mm, 22.00cm

IRRIGATION BAYONET BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-016B	FB-S-016B	0.50mm, 24.00cm
FB-R-016C	FB-S-016C	0.50mm, 15.50cm
FB-R-016D	FB-S-016D	0.50mm, 18.00cm
FB-R-016E	FB-S-016E	0.50mm, 20.00cm
FB-R-016F	FB-S-016F	0.50mm, 22.00cm
FB-R-016G	FB-S-016G	0.50mm, 24.00cm
FB-R-016H	FB-S-016H	1.00mm, 22.00cm
FB-R-016I	FB-S-016I	1.00mm, 24.00cm
FB-R-016J	FB-S-016J	1.00mm, 15.50cm
FB-R-016K	FB-S-016K	1.00mm, 18.00cm
FB-R-016L	FB-S-016L	1.00mm, 20.00cm
FB-R-016M	FB-S-016M	1.00mm, 24.00cm
FB-R-016N	FB-S-016N	2.00mm, 22.00cm
FB-R-016O	FB-S-016O	2.00mm, 24.00cm
FB-R-016P	FB-S-016P	2.00mm, 15.50cm
FB-R-016Q	FB-S-016Q	2.00mm, 18.00cm
FB-R-016R	FB-S-016R	2.00mm, 20.00cm
FB-R-016S	FB-S-016S	2.00mm, 22.00cm
FB-R-016T	FB-S-016T	2.00mm, 24.00cm
FB-R-016U	FB-S-016U	On Demand, Custom (On Demand)
FB-R-016V	FB-S-016V	On Demand, Custom (On Demand)
FB-R-016W	FB-S-016W	On Demand, Custom (On Demand)
FB-R-016X	FB-S-016X	On Demand, Custom (On Demand)
FB-R-016Y	FB-S-016Y	On Demand, Custom (On Demand)
FB-R-016Z	FB-S-016Z	On Demand, Custom (On Demand)
FB-R-016AA	FB-S-016AA	On Demand, Custom (On Demand)

IRRIGATION CUSHING BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-017A	FB-S-017A	0.50mm, 15.50cm
FB-R-017B	FB-S-017B	0.50mm, 18.00cm
FB-R-017C	FB-S-017C	0.50mm, 20.00cm

IRRIGATION CUSHING BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-017D	FB-S-017D	0.50mm, 22.00cm
FB-R-017E	FB-S-017E	0.50mm, 24.00cm
FB-R-017F	FB-S-017F	0.50mm, 15.50cm
FB-R-017G	FB-S-017G	0.50mm, 18.00cm
FB-R-017H	FB-S-017H	1.00mm, 15.50cm
FB-R-017I	FB-S-017I	1.00mm, 18.00cm
FB-R-017J	FB-S-017J	1.00mm, 20.00cm
FB-R-017K	FB-S-017K	1.00mm, 22.00cm
FB-R-017L	FB-S-017L	1.00mm, 24.00cm
FB-R-017M	FB-S-017M	1.00mm, 15.50cm
FB-R-017N	FB-S-017N	1.00mm, 18.00cm
FB-R-017O	FB-S-017O	2.00mm, 15.50cm
FB-R-017P	FB-S-017P	2.00mm, 18.00cm
FB-R-017Q	FB-S-017Q	2.00mm, 20.00cm
FB-R-017R	FB-S-017R	2.00mm, 22.00cm
FB-R-017S	FB-S-017S	2.00mm, 24.00cm
FB-R-017T	FB-S-017T	2.00mm, 15.50cm
FB-R-017U	FB-S-017U	2.00mm, 18.00cm
FB-R-017V	FB-S-017V	On Demand, Custom (On Demand)
FB-R-017W	FB-S-017W	On Demand, Custom (On Demand)
FB-R-017X	FB-S-017X	On Demand, Custom (On Demand)
FB-R-017Y	FB-S-017Y	On Demand, Custom (On Demand)
FB-R-017Z	FB-S-017Z	On Demand, Custom (On Demand)
FB-R-017AA	FB-S-017AA	On Demand, Custom (On Demand)
FB-R-017AB	FB-S-017AB	On Demand, Custom (On Demand)

IRRIGATION JENSEN BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-018A	FB-S-018A	0.50mm, 20.00cm
FB-R-018B	FB-S-018B	0.50mm, 22.00cm
FB-R-018C	FB-S-018C	0.50mm, 18.00cm
FB-R-018D	FB-S-018D	0.50mm, 20.00cm

IRRIGATION JENSEN BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-018E	FB-S-018E	0.50mm, 22.00cm
FB-R-018F	FB-S-018F	0.50mm, 24.00cm
FB-R-018G	FB-S-018G	1.00mm, 20.00cm
FB-R-018H	FB-S-018H	1.00mm, 22.00cm
FB-R-018I	FB-S-018I	1.00mm, 24.00cm
FB-R-018J	FB-S-018J	1.00mm, 18.00cm
FB-R-018K	FB-S-018K	1.00mm, 20.00cm
FB-R-018L	FB-S-018L	1.00mm, 22.00cm
FB-R-018M	FB-S-018M	1.00mm, 24.00cm
FB-R-018N	FB-S-018N	2.00mm, 20.00cm
FB-R-018O	FB-S-018O	2.00mm, 22.00cm
FB-R-018P	FB-S-018P	2.00mm, 24.00cm
FB-R-018Q	FB-S-018Q	2.00mm, 18.00cm
FB-R-018R	FB-S-018R	2.00mm, 20.00cm
FB-R-018S	FB-S-018S	2.00mm, 22.00cm
FB-R-018T	FB-S-018T	2.00mm, 24.00cm
FB-R-018U	FB-S-018U	On Demand, Custom (On Demand)
FB-R-018V	FB-S-018V	On Demand, Custom (On Demand)
FB-R-018W	FB-S-018W	On Demand, Custom (On Demand)
FB-R-018X	FB-S-018X	On Demand, Custom (On Demand)
FB-R-018Y	FB-S-018Y	On Demand, Custom (On Demand)
FB-R-018Z	FB-S-018Z	On Demand, Custom (On Demand)
FB-R-018AA	FB-S-018AA	On Demand, Custom (On Demand)

IRRIGATION STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-019A	FB-S-019A	0.50mm, 15.50cm
FB-R-019B	FB-S-019B	0.50mm, 18.00cm
FB-R-019C	FB-S-019C	0.50mm, 20.00cm
FB-R-019D	FB-S-019D	0.50mm, 22.00cm
FB-R-019E	FB-S-019E	0.50mm, 24.00cm
FB-R-019F	FB-S-019F	0.50mm, 15.50cm

IRRIGATION STRAIGHT BIPOLAR FORCEPS (CONTINUED)


REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-019G	FB-S-019G	0.50mm, 18.00cm
FB-R-019H	FB-S-019H	0.50mm, 20.00cm
FB-R-019I	FB-S-019I	1.00mm, 15.50cm
FB-R-019J	FB-S-019J	1.00mm, 18.00cm
FB-R-019K	FB-S-019K	1.00mm, 20.00cm
FB-R-019L	FB-S-019L	1.00mm, 22.00cm
FB-R-019M	FB-S-019M	1.00mm, 24.00cm
FB-R-019N	FB-S-019N	1.00mm, 15.50cm
FB-R-019O	FB-S-019O	1.00mm, 18.00cm
FB-R-019P	FB-S-019P	1.00mm, 20.00cm
FB-R-019Q	FB-S-019Q	2.00mm, 15.50cm
FB-R-019R	FB-S-019R	2.00mm, 18.00cm
FB-R-019S	FB-S-019S	2.00mm, 20.00cm
FB-R-019T	FB-S-019T	2.00mm, 22.00cm
FB-R-019U	FB-S-019U	2.00mm, 24.00cm
FB-R-019V	FB-S-019V	2.00mm, 15.50cm
FB-R-019W	FB-S-019W	2.00mm, 18.00cm
FB-R-019X	FB-S-019X	2.00mm, 20.00cm
FB-R-019Y	FB-S-019Y	On Demand, Custom (On Demand)
FB-R-019Z	FB-S-019Z	On Demand, Custom (On Demand)
FB-R-019AA	FB-S-019AA	On Demand, Custom (On Demand)
FB-R-019AB	FB-S-019AB	On Demand, Custom (On Demand)
FB-R-019AC	FB-S-019AC	On Demand, Custom (On Demand)
FB-R-019AD	FB-S-019AD	On Demand, Custom (On Demand)
FB-R-019AE	FB-S-019AE	On Demand, Custom (On Demand)
FB-R-019AF	FB-S-019AF	On Demand, Custom (On Demand)

Specialty & Premium

01 Non-Stick Patterns

02 Premium (Titanium)

03 Artery Sealers & Hand
Pieces



Non-Stick Patterns

NON-STICK BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-027A	FB-S-027A	0.50mm, 22.00cm
FB-R-027B	FB-S-027B	0.50mm, 24.00cm
FB-R-027C	FB-S-027C	0.50mm, 15.50cm
FB-R-027D	FB-S-027D	0.50mm, 18.00cm
FB-R-027E	FB-S-027E	0.50mm, 20.00cm
FB-R-027F	FB-S-027F	0.50mm, 22.00cm
FB-R-027G	FB-S-027G	0.50mm, 24.00cm
FB-R-027H	FB-S-027H	1.00mm, 22.00cm
FB-R-027I	FB-S-027I	1.00mm, 24.00cm
FB-R-027J	FB-S-027J	1.00mm, 15.50cm
FB-R-027K	FB-S-027K	1.00mm, 18.00cm
FB-R-027L	FB-S-027L	1.00mm, 20.00cm
FB-R-027M	FB-S-027M	1.00mm, 22.00cm
FB-R-027N	FB-S-027N	1.00mm, 24.00cm
FB-R-027O	FB-S-027O	2.00mm, 22.00cm
FB-R-027P	FB-S-027P	2.00mm, 24.00cm
FB-R-027Q	FB-S-027Q	2.00mm, 18.00cm
FB-R-027R	FB-S-027R	2.00mm, 20.00cm
FB-R-027S	FB-S-027S	2.00mm, 22.00cm
FB-R-027T	FB-S-027T	2.00mm, 24.00cm
FB-R-027U	FB-S-027U	On Demand, Custom (On Demand)
FB-R-027V	FB-S-027V	On Demand, Custom (On Demand)
FB-R-027W	FB-S-027W	On Demand, Custom (On Demand)
FB-R-027X	FB-S-027X	On Demand, Custom (On Demand)
FB-R-027Y	FB-S-027Y	On Demand, Custom (On Demand)
FB-R-027Z	FB-S-027Z	On Demand, Custom (On Demand)

NON-STICK CUSHING BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-029A	FB-S-029A	0.50mm, 15.50cm

NON-STICK CUSHING BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-029B	FB-S-029B	0.50mm, 18.00cm
FB-R-029C	FB-S-029C	0.50mm, 20.00cm
FB-R-029D	FB-S-029D	0.50mm, 22.00cm
FB-R-029E	FB-S-029E	0.50mm, 24.00cm
FB-R-029F	FB-S-029F	1.00mm, 15.50cm
FB-R-029G	FB-S-029G	1.00mm, 18.00cm
FB-R-029H	FB-S-029H	1.00mm, 20.00cm
FB-R-029I	FB-S-029I	1.00mm, 22.00cm
FB-R-029J	FB-S-029J	1.00mm, 24.00cm
FB-R-029K	FB-S-029K	2.00mm, 15.50cm
FB-R-029L	FB-S-029L	2.00mm, 18.00cm
FB-R-029M	FB-S-029M	2.00mm, 20.00cm
FB-R-029N	FB-S-029N	2.00mm, 22.00cm
FB-R-029O	FB-S-029O	2.00mm, 24.00cm
FB-R-029P	FB-S-029P	On Demand, Custom (On Demand)
FB-R-029Q	FB-S-029Q	On Demand, Custom (On Demand)
FB-R-029R	FB-S-029R	On Demand, Custom (On Demand)
FB-R-029S	FB-S-029S	On Demand, Custom (On Demand)
FB-R-029T	FB-S-029T	On Demand, Custom (On Demand)
FB-R-029U	FB-S-029U	On Demand, Custom (On Demand)
FB-R-029V	FB-S-029V	On Demand, Custom (On Demand)
FB-R-029W	FB-S-029W	On Demand, Custom (On Demand)

NON-STICK GERALD STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-030A	FB-S-030A	2.00mm, 15.50cm
FB-R-030B	FB-S-030B	On Demand, Custom (On Demand)
FB-R-030C	FB-S-030C	On Demand, Custom (On Demand)
FB-R-030D	FB-S-030D	On Demand, Custom (On Demand)
FB-R-030E	FB-S-030E	On Demand, Custom (On Demand)
FB-R-030F	FB-S-030F	On Demand, Custom (On Demand)
FB-R-030G	FB-S-030G	On Demand, Custom (On Demand)

NON-STICK GERALD STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-030H	FB-S-030H	On Demand, Custom (On Demand)

NON-STICK HARDY BIPOLAR FORCEPS ANGLED SHAPE

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-031A	FB-S-031A	0.50mm, 18.00cm
FB-R-031B	FB-S-031B	0.50mm, 20.00cm
FB-R-031C	FB-S-031C	0.50mm, 15.50cm
FB-R-031D	FB-S-031D	0.50mm, 18.00cm
FB-R-031E	FB-S-031E	0.50mm, 20.00cm
FB-R-031F	FB-S-031F	0.50mm, 22.00cm
FB-R-031G	FB-S-031G	0.50mm, 24.00cm
FB-R-031H	FB-S-031H	1.00mm, 18.00cm
FB-R-031I	FB-S-031I	1.00mm, 20.00cm
FB-R-031J	FB-S-031J	1.00mm, 15.50cm
FB-R-031K	FB-S-031K	1.00mm, 18.00cm
FB-R-031L	FB-S-031L	1.00mm, 20.00cm
FB-R-031M	FB-S-031M	1.00mm, 22.00cm
FB-R-031N	FB-S-031N	1.00mm, 24.00cm
FB-R-031O	FB-S-031O	2.00mm, 18.00cm
FB-R-031P	FB-S-031P	2.00mm, 20.00cm
FB-R-031Q	FB-S-031Q	2.00mm, 15.50cm
FB-R-031R	FB-S-031R	2.00mm, 18.00cm
FB-R-031S	FB-S-031S	2.00mm, 20.00cm
FB-R-031T	FB-S-031T	2.00mm, 22.00cm
FB-R-031U	FB-S-031U	2.00mm, 24.00cm
FB-R-031V	FB-S-031V	On Demand, Custom (On Demand)
FB-R-031W	FB-S-031W	On Demand, Custom (On Demand)
FB-R-031X	FB-S-031X	On Demand, Custom (On Demand)
FB-R-031Y	FB-S-031Y	On Demand, Custom (On Demand)
FB-R-031Z	FB-S-031Z	On Demand, Custom (On Demand)
FB-R-031AA	FB-S-031AA	On Demand, Custom (On Demand)

NON-STICK OPHTHALMIC BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-032A	FB-S-032A	0.50mm, 11.50cm
FB-R-032B	FB-S-032B	0.50mm, 11.50cm
FB-R-032C	FB-S-032C	0.50mm, 12.10cm
FB-R-032D	FB-S-032D	0.70mm, 11.50cm
FB-R-032E	FB-S-032E	0.70mm, 11.50cm
FB-R-032F	FB-S-032F	0.70mm, 12.10cm
FB-R-032G	FB-S-032G	1.00mm, 11.50cm
FB-R-032H	FB-S-032H	1.00mm, 11.50cm
FB-R-032I	FB-S-032I	1.00mm, 12.10cm
FB-R-032J	FB-S-032J	1.50mm, 11.50cm
FB-R-032K	FB-S-032K	1.50mm, 11.50cm
FB-R-032L	FB-S-032L	1.50mm, 12.10cm
FB-R-032M	FB-S-032M	On Demand, Custom (On Demand)
FB-R-032N	FB-S-032N	On Demand, Custom (On Demand)
FB-R-032O	FB-S-032O	On Demand, Custom (On Demand)

NON-STICK SCOVILLE BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-033A	FB-S-033A	0.50mm, 15.50cm
FB-R-033B	FB-S-033B	0.50mm, 18.00cm
FB-R-033C	FB-S-033C	0.50mm, 20.00cm
FB-R-033D	FB-S-033D	0.50mm, 22.00cm
FB-R-033E	FB-S-033E	0.50mm, 24.00cm
FB-R-033F	FB-S-033F	0.50mm, 15.50cm
FB-R-033G	FB-S-033G	0.50mm, 18.00cm
FB-R-033H	FB-S-033H	0.50mm, 20.00cm
FB-R-033I	FB-S-033I	1.00mm, 15.50cm
FB-R-033J	FB-S-033J	1.00mm, 18.00cm
FB-R-033K	FB-S-033K	1.00mm, 20.00cm
FB-R-033L	FB-S-033L	1.00mm, 22.00cm
FB-R-033M	FB-S-033M	1.00mm, 24.00cm
FB-R-033N	FB-S-033N	1.00mm, 15.50cm

NON-STICK SCOVILLE BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-0330	FB-S-0330	1.00mm, 18.00cm
FB-R-033P	FB-S-033P	1.00mm, 20.00cm
FB-R-033Q	FB-S-033Q	2.00mm, 15.50cm
FB-R-033R	FB-S-033R	2.00mm, 18.00cm
FB-R-033S	FB-S-033S	2.00mm, 20.00cm
FB-R-033T	FB-S-033T	2.00mm, 22.00cm
FB-R-033U	FB-S-033U	2.00mm, 24.00cm
FB-R-033V	FB-S-033V	2.00mm, 15.50cm
FB-R-033W	FB-S-033W	2.00mm, 18.00cm
FB-R-033X	FB-S-033X	2.00mm, 20.00cm
FB-R-033Y	FB-S-033Y	On Demand, Custom (On Demand)
FB-R-033Z	FB-S-033Z	On Demand, Custom (On Demand)
FB-R-033AA	FB-S-033AA	On Demand, Custom (On Demand)
FB-R-033AB	FB-S-033AB	On Demand, Custom (On Demand)
FB-R-033AC	FB-S-033AC	On Demand, Custom (On Demand)
FB-R-033AD	FB-S-033AD	On Demand, Custom (On Demand)
FB-R-033AE	FB-S-033AE	On Demand, Custom (On Demand)
FB-R-033AF	FB-S-033AF	On Demand, Custom (On Demand)

NON-STICK SEMKIN BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-034A	FB-S-034A	0.50mm, 16.00cm
FB-R-034B	FB-S-034B	0.50mm, 15.50cm
FB-R-034C	FB-S-034C	0.50mm, 18.00cm
FB-R-034D	FB-S-034D	0.50mm, 20.00cm
FB-R-034E	FB-S-034E	0.50mm, 22.00cm
FB-R-034F	FB-S-034F	0.50mm, 24.00cm
FB-R-034G	FB-S-034G	0.70mm, 16.00cm
FB-R-034H	FB-S-034H	1.00mm, 16.00cm
FB-R-034I	FB-S-034I	1.00mm, 15.50cm
FB-R-034J	FB-S-034J	1.00mm, 18.00cm
FB-R-034K	FB-S-034K	1.00mm, 20.00cm

NON-STICK SEMKIN BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-034L	FB-S-034L	1.00mm, 22.00cm
FB-R-034M	FB-S-034M	1.00mm, 24.00cm
FB-R-034N	FB-S-034N	1.50mm, 16.00cm
FB-R-034O	FB-S-034O	2.00mm, 15.50cm
FB-R-034P	FB-S-034P	2.00mm, 20.00cm
FB-R-034Q	FB-S-034Q	2.00mm, 22.00cm
FB-R-034R	FB-S-034R	2.00mm, 24.00cm
FB-R-034S	FB-S-034S	On Demand, Custom (On Demand)
FB-R-034T	FB-S-034T	On Demand, Custom (On Demand)
FB-R-034U	FB-S-034U	On Demand, Custom (On Demand)
FB-R-034V	FB-S-034V	On Demand, Custom (On Demand)
FB-R-034W	FB-S-034W	On Demand, Custom (On Demand)
FB-R-034X	FB-S-034X	On Demand, Custom (On Demand)

NON-STICK STRAIGHT BIPOLAR FORCEPS ANGLE TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-035A	FB-S-035A	0.50mm, 15.50cm
FB-R-035B	FB-S-035B	0.50mm, 18.00cm
FB-R-035C	FB-S-035C	0.50mm, 20.00cm
FB-R-035D	FB-S-035D	0.50mm, 22.00cm
FB-R-035E	FB-S-035E	0.50mm, 24.00cm
FB-R-035F	FB-S-035F	0.50mm, 15.50cm
FB-R-035G	FB-S-035G	0.50mm, 18.00cm
FB-R-035H	FB-S-035H	0.50mm, 20.00cm
FB-R-035I	FB-S-035I	1.00mm, 15.50cm
FB-R-035J	FB-S-035J	1.00mm, 18.00cm
FB-R-035K	FB-S-035K	1.00mm, 20.00cm
FB-R-035L	FB-S-035L	1.00mm, 22.00cm
FB-R-035M	FB-S-035M	1.00mm, 24.00cm
FB-R-035N	FB-S-035N	1.00mm, 15.50cm
FB-R-035O	FB-S-035O	1.00mm, 18.00cm
FB-R-035P	FB-S-035P	1.00mm, 20.00cm

NON-STICK STRAIGHT BIPOLAR FORCEPS ANGLE TIP (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-035Q	FB-S-035Q	2.00mm, 15.50cm
FB-R-035R	FB-S-035R	2.00mm, 18.00cm
FB-R-035S	FB-S-035S	2.00mm, 20.00cm
FB-R-035T	FB-S-035T	2.00mm, 22.00cm
FB-R-035U	FB-S-035U	2.00mm, 24.00cm
FB-R-035V	FB-S-035V	2.00mm, 15.50cm
FB-R-035W	FB-S-035W	2.00mm, 18.00cm
FB-R-035X	FB-S-035X	2.00mm, 20.00cm
FB-R-035Y	FB-S-035Y	On Demand, Custom (On Demand)
FB-R-035Z	FB-S-035Z	On Demand, Custom (On Demand)
FB-R-035AA	FB-S-035AA	On Demand, Custom (On Demand)
FB-R-035AB	FB-S-035AB	On Demand, Custom (On Demand)
FB-R-035AC	FB-S-035AC	On Demand, Custom (On Demand)
FB-R-035AD	FB-S-035AD	On Demand, Custom (On Demand)
FB-R-035AE	FB-S-035AE	On Demand, Custom (On Demand)
FB-R-035AF	FB-S-035AF	On Demand, Custom (On Demand)

NON-STICK BIPOLAR ARTERY SEALER / BI-CLAMPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-028A	FB-S-028A	Male 4.0mm, 5.50"
FB-R-028B	FB-S-028B	Male 4.0mm, 6.50"
FB-R-028C	FB-S-028C	Male 4.0mm, 7.50"
FB-R-028D	FB-S-028D	Male 4.0mm, 8.50"
FB-R-028E	FB-S-028E	Male 4.0mm, 9.50"
FB-R-028F	FB-S-028F	Male 4.0mm, —
FB-R-028G	FB-S-028G	Female 4.0mm, 5.50"
FB-R-028H	FB-S-028H	Female 4.0mm, 6.50"
FB-R-028I	FB-S-028I	Female 4.0mm, 7.50"
FB-R-028J	FB-S-028J	Female 4.0mm, 8.50"
FB-R-028K	FB-S-028K	Female 4.0mm, 9.50"
FB-R-028L	FB-S-028L	Female 4.0mm, —
FB-R-028M	FB-S-028M	Ethicon 2.4mm, 5.50"

NON-STICK BIPOLAR ARTERY SEALER / BI-CLAMPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-028N	FB-S-028N	Ethicon 2.4mm, 6.50"
FB-R-0280	FB-S-0280	Ethicon 2.4mm, 7.50"
FB-R-028P	FB-S-028P	Ethicon 2.4mm, 8.50"
FB-R-028Q	FB-S-028Q	Ethicon 2.4mm, 9.50"
FB-R-028R	FB-S-028R	Ethicon 2.4mm, —

Premium (Titanium)

TITANIUM / NON-STICK BAYONET BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-046A	FB-S-046A	0.50mm, 15.50cm
FB-R-046B	FB-S-046B	0.50mm, 18.00cm
FB-R-046C	FB-S-046C	0.50mm, 20.00cm
FB-R-046D	FB-S-046D	0.50mm, 22.00cm
FB-R-046E	FB-S-046E	0.50mm, 24.00cm
FB-R-046F	FB-S-046F	1.00mm, 15.50cm
FB-R-046G	FB-S-046G	1.00mm, 18.00cm
FB-R-046H	FB-S-046H	1.00mm, 20.00cm
FB-R-046I	FB-S-046I	1.00mm, 22.00cm
FB-R-046J	FB-S-046J	1.00mm, 24.00cm
FB-R-046K	FB-S-046K	2.00mm, 15.50cm
FB-R-046L	FB-S-046L	2.00mm, 18.00cm
FB-R-046M	FB-S-046M	2.00mm, 20.00cm
FB-R-046N	FB-S-046N	2.00mm, 22.00cm
FB-R-046O	FB-S-046O	2.00mm, 24.00cm
FB-R-046P	FB-S-046P	On Demand, Custom (On Demand)
FB-R-046Q	FB-S-046Q	On Demand, Custom (On Demand)
FB-R-046R	FB-S-046R	On Demand, Custom (On Demand)
FB-R-046S	FB-S-046S	On Demand, Custom (On Demand)

TITANIUM / NON-STICK JEWELER # 4 BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-047A	FB-S-047A	0.50mm, 11.50cm

TITANIUM / NON-STICK JEWELER # 4 BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-047B	FB-S-047B	0.50mm, 11.50cm
FB-R-047C	FB-S-047C	0.50mm, 15.50cm
FB-R-047D	FB-S-047D	0.50mm, 18.00cm
FB-R-047E	FB-S-047E	0.50mm, 20.00cm
FB-R-047F	FB-S-047F	0.70mm, 11.50cm
FB-R-047G	FB-S-047G	0.70mm, 11.50cm
FB-R-047H	FB-S-047H	1.00mm, 11.50cm
FB-R-047I	FB-S-047I	1.00mm, 11.50cm
FB-R-047J	FB-S-047J	1.00mm, 15.50cm
FB-R-047K	FB-S-047K	1.00mm, 18.00cm
FB-R-047L	FB-S-047L	1.00mm, 20.00cm
FB-R-047M	FB-S-047M	1.50mm, 11.50cm
FB-R-047N	FB-S-047N	1.50mm, 11.50cm
FB-R-047O	FB-S-047O	2.00mm, 15.50cm
FB-R-047P	FB-S-047P	2.00mm, 18.00cm
FB-R-047Q	FB-S-047Q	2.00mm, 20.00cm
FB-R-047R	FB-S-047R	On Demand, Custom (On Demand)
FB-R-047S	FB-S-047S	On Demand, Custom (On Demand)
FB-R-047T	FB-S-047T	On Demand, Custom (On Demand)
FB-R-047U	FB-S-047U	On Demand, Custom (On Demand)
FB-R-047V	FB-S-047V	On Demand, Custom (On Demand)

TITANIUM / NON-STICK STRAIGHT BIPOLAR FORCEPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-048A	FB-S-048A	0.50mm, 22.00cm
FB-R-048B	FB-S-048B	0.50mm, 24.00cm
FB-R-048C	FB-S-048C	0.50mm, 15.50cm
FB-R-048D	FB-S-048D	0.50mm, 18.00cm
FB-R-048E	FB-S-048E	0.50mm, 20.00cm
FB-R-048F	FB-S-048F	0.50mm, 22.00cm
FB-R-048G	FB-S-048G	0.50mm, 24.00cm
FB-R-048H	FB-S-048H	1.00mm, 22.00cm

TITANIUM / NON-STICK STRAIGHT BIPOLAR FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-048I	FB-S-048I	1.00mm, 24.00cm
FB-R-048J	FB-S-048J	1.00mm, 15.50cm
FB-R-048K	FB-S-048K	1.00mm, 18.00cm
FB-R-048L	FB-S-048L	1.00mm, 20.00cm
FB-R-048M	FB-S-048M	1.00mm, 22.00cm
FB-R-048N	FB-S-048N	1.00mm, 24.00cm
FB-R-048O	FB-S-048O	2.00mm, 22.00cm
FB-R-048P	FB-S-048P	2.00mm, 24.00cm
FB-R-048Q	FB-S-048Q	2.00mm, 15.50cm
FB-R-048R	FB-S-048R	2.00mm, 18.00cm
FB-R-048S	FB-S-048S	2.00mm, 20.00cm
FB-R-048T	FB-S-048T	2.00mm, 22.00cm
FB-R-048U	FB-S-048U	2.00mm, 24.00cm
FB-R-048V	FB-S-048V	On Demand, Custom (On Demand)
FB-R-048W	FB-S-048W	On Demand, Custom (On Demand)
FB-R-048X	FB-S-048X	On Demand, Custom (On Demand)
FB-R-048Y	FB-S-048Y	On Demand, Custom (On Demand)
FB-R-048Z	FB-S-048Z	On Demand, Custom (On Demand)
FB-R-048AA	FB-S-048AA	On Demand, Custom (On Demand)
FB-R-048AB	FB-S-048AB	On Demand, Custom (On Demand)

Artery Sealers & Hand Pieces

BIPOLAR ARTERY SEALER / BI-CLAMPS

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-011A	FB-S-011A	Male 4.0mm, 5.50"
FB-R-011B	FB-S-011B	Male 4.0mm, 6.50"
FB-R-011C	FB-S-011C	Male 4.0mm, 7.50"
FB-R-011D	FB-S-011D	Male 4.0mm, 8.50"
FB-R-011E	FB-S-011E	Male 4.0mm, 9.50"
FB-R-011F	FB-S-011F	Male 4.0mm, —
FB-R-011G	FB-S-011G	Female 4.0mm, 5.50"

BIPOLAR ARTERY SEALER / BI-CLAMPS (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-011H	FB-S-011H	Female 4.0mm, 6.50"
FB-R-011I	FB-S-011I	Female 4.0mm, 7.50"
FB-R-011J	FB-S-011J	Female 4.0mm, 8.50"
FB-R-011K	FB-S-011K	Female 4.0mm, 9.50"
FB-R-011L	FB-S-011L	Female 4.0mm, —
FB-R-011M	FB-S-011M	Ethicon 2.4mm, 5.50"
FB-R-011N	FB-S-011N	Ethicon 2.4mm, 6.50"
FB-R-011O	FB-S-011O	Ethicon 2.4mm, 7.50"
FB-R-011P	FB-S-011P	Ethicon 2.4mm, 8.50"
FB-R-011Q	FB-S-011Q	Ethicon 2.4mm, 9.50"
FB-R-011R	FB-S-011R	Ethicon 2.4mm, —

ANGLED BIPOLAR ELECTRODES HAND PIECES STRAIGHT TIP

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-002A	FB-S-002A	0.30x0.30mm, 15.50cm
FB-R-002B	FB-S-002B	0.30x0.30mm, 18.00cm
FB-R-002C	FB-S-002C	0.30x0.30mm, 20.00cm
FB-R-002D	FB-S-002D	0.30x0.30mm, 24.00cm
FB-R-002E	FB-S-002E	0.30x0.30mm, 15.50cm
FB-R-002F	FB-S-002F	0.30x0.30mm, 18.00cm
FB-R-002G	FB-S-002G	0.30x0.30mm, 20.00cm
FB-R-002H	FB-S-002H	0.30x0.30mm, 24.00cm
FB-R-002I	FB-S-002I	On Demand, Custom (On Demand)
FB-R-002J	FB-S-002J	On Demand, Custom (On Demand)

STRAIGHT BIPOLAR ELECTRODES HAND PIECES

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-043A	FB-S-043A	0.30x0.30mm, 15.50cm
FB-R-043B	FB-S-043B	0.30x0.30mm, 18.00cm
FB-R-043C	FB-S-043C	0.30x0.30mm, 20.00cm
FB-R-043D	FB-S-043D	0.30x0.30mm, 24.00cm
FB-R-043E	FB-S-043E	0.30x0.30mm, 15.50cm
FB-R-043F	FB-S-043F	0.30x0.30mm, 18.00cm

STRAIGHT BIPOLAR ELECTRODES HAND PIECES (CONTINUED)

REUSABLE	SINGLE-USE	TIP, LENGTH
FB-R-043G	FB-S-043G	0.30x0.30mm, 20.00cm
FB-R-043H	FB-S-043H	0.30x0.30mm, 24.00cm
FB-R-043I	FB-S-043I	0.30x0.30mm, 15.50cm
FB-R-043J	FB-S-043J	0.30x0.30mm, 18.00cm
FB-R-043K	FB-S-043K	0.30x0.30mm, 20.00cm
FB-R-043L	FB-S-043L	0.30x0.30mm, 24.00cm
FB-R-043M	FB-S-043M	On Demand, Custom (On Demand)
FB-R-043N	FB-S-043N	On Demand, Custom (On Demand)
FB-R-043O	FB-S-043O	On Demand, Custom (On Demand)

Single-Use-Only Lines

01 Attached Wire –
Standard

02 Attached Wire – Non-
Stick

03 Cost Efficient



Attached Wire – Standard

ATTACHED WIRE ADSON BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-003A	0.50mm	12.10cm
FB-S-003B	0.50mm	12.10cm
FB-S-003C	0.50mm	12.10cm
FB-S-003D	0.50mm	12.10cm
FB-S-003E	0.50mm	14cm
FB-S-003F	0.50mm	14cm
FB-S-003G	0.50mm	14cm
FB-S-003H	0.50mm	14cm
FB-S-003I	0.70mm	12.10cm
FB-S-003J	0.70mm	12.10cm
FB-S-003K	1.00mm	12.10cm
FB-S-003L	1.00mm	12.10cm
FB-S-003M	1.00mm	14cm
FB-S-003N	1.00mm	14cm
FB-S-003O	2.00mm	14cm

ATTACHED WIRE JEWELER # 4 BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-006A	0.50mm	11.50cm
FB-S-006B	0.50mm	11.50cm
FB-S-006C	0.50mm	11.50cm
FB-S-006D	0.50mm	11.50cm
FB-S-006E	0.50mm	11.50cm
FB-S-006F	0.50mm	11.50cm
FB-S-006G	0.50mm	11.50cm
FB-S-006H	0.50mm	11.50cm
FB-S-006I	0.70mm	11.50cm
FB-S-006J	0.70mm	11.50cm
FB-S-006K	0.70mm	11.50cm
FB-S-006L	1.00mm	11.50cm

ATTACHED WIRE JEWELER # 4 BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-006M	1.00mm	11.50cm
FB-S-006N	1.00mm	11.50cm

ATTACHED WIRE STRAIGHT BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-008A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-008B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-008C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-008D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-008E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-008F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-008G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-008H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-008I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-008J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-008K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-008L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-008M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-008N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-008O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-008P	International 4mm Banana Plug Fitting	15.50cm
FB-S-008Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-008R	International 4mm Banana Plug Fitting	20.00cm
FB-S-008S	International 4mm Banana Plug Fitting	22.00cm
FB-S-008T	International 4mm Banana Plug Fitting	24.00cm

ATTACHED WIRE STRAIGHT ANGLED BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-007A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-007B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-007C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-007D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-007E	Aesculap/Berchtold/Wolf/Martin	24.00cm

ATTACHED WIRE STRAIGHT ANGLED BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-007F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-007G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-007H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-007I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-007J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-007K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-007L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-007M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-007N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-007O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-007P	International 4mm Banana Plug Fitting	15.50cm
FB-S-007Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-007R	International 4mm Banana Plug Fitting	20.00cm
FB-S-007S	International 4mm Banana Plug Fitting	22.00cm
FB-S-007T	International 4mm Banana Plug Fitting	24.00cm

ATTACHED WIRE BAYONET BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-005A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-005B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-005C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-005D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-005E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-005F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-005G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-005H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-005I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-005J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-005K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-005L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-005M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-005N	ERBE 4mm/Siemens, Sutter BM50	22.00cm

ATTACHED WIRE BAYONET BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-0050	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-005P	International 4mm Banana Plug Fitting	15.50cm
FB-S-005Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-005R	International 4mm Banana Plug Fitting	20.00cm
FB-S-005S	International 4mm Banana Plug Fitting	22.00cm
FB-S-005T	International 4mm Banana Plug Fitting	24.00cm

ATTACHED WIRE BAYONET ANGLED BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-004A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-004B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-004C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-004D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-004E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-004F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-004G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-004H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-004I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-004J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-004K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-004L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-004M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-004N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-004O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-004P	International 4mm Banana Plug Fitting	15.50cm
FB-S-004Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-004R	International 4mm Banana Plug Fitting	20.00cm
FB-S-004S	International 4mm Banana Plug Fitting	22.00cm
FB-S-004T	International 4mm Banana Plug Fitting	24.00cm

Attached Wire – Non-Stick

NON-STICK ATTACHED WIRE ADSON BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-021A	0.50mm	12.10cm
FB-S-021B	0.50mm	12.10cm
FB-S-021C	0.50mm	12.10cm
FB-S-021D	0.50mm	12.10cm
FB-S-021E	0.50mm	14cm
FB-S-021F	0.50mm	14cm
FB-S-021G	0.50mm	14cm
FB-S-021H	0.50mm	14cm
FB-S-021I	0.70mm	12.10cm
FB-S-021J	0.70mm	12.10cm
FB-S-021K	1.00mm	12.10cm
FB-S-021L	1.00mm	12.10cm
FB-S-021M	1.00mm	14cm
FB-S-021N	1.00mm	14cm
FB-S-021O	2.00mm	14cm

NON-STICK ATTACHED WIRE JEWELER # 4 BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-024A	0.50mm	11.50cm
FB-S-024B	0.50mm	11.50cm
FB-S-024C	0.50mm	11.50cm
FB-S-024D	0.50mm	11.50cm
FB-S-024E	0.50mm	11.50cm
FB-S-024F	0.50mm	11.50cm
FB-S-024G	0.50mm	11.50cm
FB-S-024H	0.50mm	11.50cm
FB-S-024I	0.70mm	11.50cm
FB-S-024J	0.70mm	11.50cm
FB-S-024K	0.70mm	11.50cm
FB-S-024L	1.00mm	11.50cm

NON-STICK ATTACHED WIRE JEWELER # 4 BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-024M	1.00mm	11.50cm
FB-S-024N	1.00mm	11.50cm

NON-STICK ATTACHED WIRE STRAIGHT BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-026A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-026B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-026C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-026D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-026E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-026F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-026G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-026H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-026I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-026J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-026K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-026L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-026M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-026N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-026O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-026P	International 4mm Banana Plug Fitting	15.50cm
FB-S-026Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-026R	International 4mm Banana Plug Fitting	20.00cm
FB-S-026S	International 4mm Banana Plug Fitting	22.00cm
FB-S-026T	International 4mm Banana Plug Fitting	24.00cm

NON-STICK ATTACHED WIRE STRAIGHT ANGLED BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-025A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-025B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-025C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-025D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-025E	Aesculap/Berchtold/Wolf/Martin	24.00cm

NON-STICK ATTACHED WIRE STRAIGHT ANGLED BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-025F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-025G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-025H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-025I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-025J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-025K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-025L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-025M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-025N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-025O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-025P	International 4mm Banana Plug Fitting	15.50cm
FB-S-025Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-025R	International 4mm Banana Plug Fitting	20.00cm
FB-S-025S	International 4mm Banana Plug Fitting	22.00cm
FB-S-025T	International 4mm Banana Plug Fitting	24.00cm

NON-STICK ATTACHED WIRE BAYONET BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-023A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-023B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-023C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-023D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-023E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-023F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-023G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-023H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-023I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-023J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-023K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-023L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-023M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-023N	ERBE 4mm/Siemens, Sutter BM50	22.00cm

NON-STICK ATTACHED WIRE BAYONET BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-0230	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-023P	International 4mm Banana Plug Fitting	15.50cm
FB-S-023Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-023R	International 4mm Banana Plug Fitting	20.00cm
FB-S-023S	International 4mm Banana Plug Fitting	22.00cm
FB-S-023T	International 4mm Banana Plug Fitting	24.00cm

NON-STICK ATTACHED WIRE BAYONET ANGLED BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-022A	Aesculap/Berchtold/Wolf/Martin	15.50cm
FB-S-022B	Aesculap/Berchtold/Wolf/Martin	18.00cm
FB-S-022C	Aesculap/Berchtold/Wolf/Martin	20.00cm
FB-S-022D	Aesculap/Berchtold/Wolf/Martin	22.00cm
FB-S-022E	Aesculap/Berchtold/Wolf/Martin	24.00cm
FB-S-022F	BOWA/Limidey/EMC, Valleylab/Ethicon	15.50cm
FB-S-022G	BOWA/Limidey/EMC, Valleylab/Ethicon	18.00cm
FB-S-022H	BOWA/Limidey/EMC, Valleylab/Ethicon	20.00cm
FB-S-022I	BOWA/Limidey/EMC, Valleylab/Ethicon	22.00cm
FB-S-022J	BOWA/Limidey/EMC, Valleylab/Ethicon	24.00cm
FB-S-022K	ERBE 4mm/Siemens, Sutter BM50	15.50cm
FB-S-022L	ERBE 4mm/Siemens, Sutter BM50	18.00cm
FB-S-022M	ERBE 4mm/Siemens, Sutter BM50	20.00cm
FB-S-022N	ERBE 4mm/Siemens, Sutter BM50	22.00cm
FB-S-022O	ERBE 4mm/Siemens, Sutter BM50	24.00cm
FB-S-022P	International 4mm Banana Plug Fitting	15.50cm
FB-S-022Q	International 4mm Banana Plug Fitting	18.00cm
FB-S-022R	International 4mm Banana Plug Fitting	20.00cm
FB-S-022S	International 4mm Banana Plug Fitting	22.00cm
FB-S-022T	International 4mm Banana Plug Fitting	24.00cm

Cost Efficient

SINGLE-USE COST EFFICIENT OPHTHALMIC BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-039A	0.50mm	11.50cm
FB-S-039B	0.50mm	12.10cm
FB-S-039C	0.50mm	15.50cm
FB-S-039D	0.50mm	18.00cm
FB-S-039E	0.50mm	20.00cm
FB-S-039F	0.50mm	11.50cm
FB-S-039G	0.50mm	12.10cm
FB-S-039H	0.50mm	15.50cm
FB-S-039I	0.50mm	20.00cm
FB-S-039J	0.70mm	11.50cm
FB-S-039K	0.70mm	12.10cm
FB-S-039L	0.70mm	11.50cm
FB-S-039M	0.70mm	12.10cm
FB-S-039N	1.00mm	11.50cm
FB-S-039O	1.00mm	12.10cm
FB-S-039P	1.00mm	15.50cm
FB-S-039Q	1.00mm	18.00cm
FB-S-039R	1.00mm	20.00cm
FB-S-039S	1.00mm	11.50cm
FB-S-039T	1.00mm	12.10cm
FB-S-039U	1.00mm	15.50cm
FB-S-039V	1.50mm	11.50cm
FB-S-039W	1.50mm	12.10cm
FB-S-039X	1.50mm	11.50cm
FB-S-039Y	1.50mm	12.10cm
FB-S-039Z	2.00mm	15.50cm
FB-S-039AA	2.00mm	18.00cm
FB-S-039AB	2.00mm	20.00cm
FB-S-039AC	2.00mm	15.50cm

SINGLE-USE COST EFFICIENT OPHTHALMIC BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-039AD	On Demand	Custom (On Demand)
FB-S-039AE	On Demand	Custom (On Demand)
FB-S-039AF	On Demand	Custom (On Demand)
FB-S-039AG	On Demand	Custom (On Demand)
FB-S-039AH	On Demand	Custom (On Demand)
FB-S-039AI	On Demand	Custom (On Demand)
FB-S-039AJ	On Demand	Custom (On Demand)
FB-S-039AK	On Demand	Custom (On Demand)

SINGLE-USE COST EFFICIENT STRAIGHT EDGED BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-040A	0.50mm	22.00cm
FB-S-040B	0.50mm	24.00cm
FB-S-040C	0.50mm	15.50cm
FB-S-040D	0.50mm	18.00cm
FB-S-040E	0.50mm	20.00cm
FB-S-040F	0.50mm	22.00cm
FB-S-040G	0.50mm	24.00cm
FB-S-040H	0.50mm	22.00cm
FB-S-040I	0.50mm	24.00cm
FB-S-040J	0.50mm	15.50cm
FB-S-040K	0.50mm	18.00cm
FB-S-040L	0.50mm	20.00cm
FB-S-040M	0.50mm	22.00cm
FB-S-040N	0.50mm	24.00cm
FB-S-040O	1.00mm	22.00cm
FB-S-040P	1.00mm	24.00cm
FB-S-040Q	1.00mm	15.50cm
FB-S-040R	1.00mm	18.00cm
FB-S-040S	1.00mm	20.00cm
FB-S-040T	1.00mm	22.00cm
FB-S-040U	1.00mm	24.00cm

SINGLE-USE COST EFFICIENT STRAIGHT EDGED BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-040V	1.00mm	15.50cm
FB-S-040W	2.00mm	22.00cm
FB-S-040X	2.00mm	24.00cm
FB-S-040Y	2.00mm	15.50cm
FB-S-040Z	2.00mm	18.00cm
FB-S-040AA	2.00mm	20.00cm
FB-S-040AB	2.00mm	22.00cm
FB-S-040AC	2.00mm	24.00cm
FB-S-040AD	2.00mm	15.50cm
FB-S-040AE	On Demand	Custom (On Demand)
FB-S-040AF	On Demand	Custom (On Demand)
FB-S-040AG	On Demand	Custom (On Demand)
FB-S-040AH	On Demand	Custom (On Demand)
FB-S-040AI	On Demand	Custom (On Demand)
FB-S-040AJ	On Demand	Custom (On Demand)
FB-S-040AK	On Demand	Custom (On Demand)
FB-S-040AL	On Demand	Custom (On Demand)

SINGLE-USE COST EFFICIENT BAYONET BIPOLAR FORCEPS

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-038A	0.50mm	15.50cm
FB-S-038B	0.50mm	18.00cm
FB-S-038C	0.50mm	20.00cm
FB-S-038D	0.50mm	22.00cm
FB-S-038E	0.50mm	24.00cm
FB-S-038F	1.00mm	15.50cm
FB-S-038G	1.00mm	18.00cm
FB-S-038H	1.00mm	20.00cm
FB-S-038I	1.00mm	22.00cm
FB-S-038J	1.00mm	24.00cm
FB-S-038K	2.00mm	15.50cm
FB-S-038L	2.00mm	18.00cm

SINGLE-USE COST EFFICIENT BAYONET BIPOLAR FORCEPS (CONTINUED)

SINGLE-USE CODE	VARIANT	LENGTH
FB-S-038M	2.00mm	20.00cm
FB-S-038N	2.00mm	22.00cm
FB-S-038O	2.00mm	24.00cm
FB-S-038P	On Demand	Custom (On Demand)
FB-S-038Q	On Demand	Custom (On Demand)
FB-S-038R	On Demand	Custom (On Demand)
FB-S-038S	On Demand	Custom (On Demand)

ELECTROSURGERY FORCEPS

Monopolar Forceps

01 Standard Patterns

02 Shape Variants

Standard Patterns

MONOPOLAR ADSON FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-001A	FM-S-001A	4.0mm Female Plug, 12.10cm
FM-R-001B	FM-S-001B	4.0mm Male Plug, 12.10cm
FM-R-001C	FM-S-001C	4.0mm Over Mold, 12.10cm
FM-R-001D	FM-S-001D	4.8mm Male Plug, 12.10cm
FM-R-001E	FM-S-001E	Anatomical Plug, 12.10cm
FM-R-001F	FM-S-001F	4.0mm Female Plug, 15.00cm
FM-R-001G	FM-S-001G	4.0mm Male Plug, 15.00cm
FM-R-001H	FM-S-001H	4.0mm Over Mold, 15.00cm
FM-R-001I	FM-S-001I	4.8mm Male Plug, 15.00cm
FM-R-001J	FM-S-001J	Anatomical Plug, 15.00cm
FM-R-001K	FM-S-001K	4.0mm Female Plug, 18.00cm
FM-R-001L	FM-S-001L	4.0mm Male Plug, 18.00cm
FM-R-001M	FM-S-001M	4.0mm Over Mold, 18.00cm
FM-R-001N	FM-S-001N	4.8mm Male Plug, 18.00cm
FM-R-001O	FM-S-001O	Anatomical Plug, 18.00cm
FM-R-001P	FM-S-001P	4.0mm Female Plug, On Demand
FM-R-001Q	FM-S-001Q	4.0mm Male Plug, On Demand
FM-R-001R	FM-S-001R	4.0mm Over Mold, On Demand
FM-R-001S	FM-S-001S	4.8mm Male Plug, On Demand
FM-R-001T	FM-S-001T	Anatomical Plug, On Demand

MONOPOLAR MCINDOE FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-008A	FM-S-008A	4.0mm Female Plug, 15.50cm
FM-R-008B	FM-S-008B	4.0mm Male Plug, 15.50cm
FM-R-008C	FM-S-008C	4.0mm Over Mold, 15.50cm
FM-R-008D	FM-S-008D	4.8mm Male Plug, 15.50cm
FM-R-008E	FM-S-008E	Anatomical Plug, 15.50cm
FM-R-008F	FM-S-008F	4.0mm Female Plug, 18.00cm
FM-R-008G	FM-S-008G	4.0mm Male Plug, 18.00cm

MONOPOLAR MCINDOE FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-008H	FM-S-008H	4.0mm Over Mold, 18.00cm
FM-R-008I	FM-S-008I	4.8mm Male Plug, 18.00cm
FM-R-008J	FM-S-008J	Anatomical Plug, 18.00cm
FM-R-008K	FM-S-008K	4.0mm Female Plug, 20.00cm
FM-R-008L	FM-S-008L	4.0mm Male Plug, 20.00cm
FM-R-008M	FM-S-008M	4.0mm Over Mold, 20.00cm
FM-R-008N	FM-S-008N	4.8mm Male Plug, 20.00cm
FM-R-008O	FM-S-008O	Anatomical Plug, 20.00cm
FM-R-008P	FM-S-008P	4.0mm Female Plug, 22.00cm
FM-R-008Q	FM-S-008Q	4.0mm Male Plug, 22.00cm
FM-R-008R	FM-S-008R	4.0mm Over Mold, 22.00cm
FM-R-008S	FM-S-008S	4.8mm Male Plug, 22.00cm
FM-R-008T	FM-S-008T	Anatomical Plug, 22.00cm
FM-R-008U	FM-S-008U	4.0mm Female Plug, 24.00cm
FM-R-008V	FM-S-008V	4.0mm Male Plug, 24.00cm
FM-R-008W	FM-S-008W	4.0mm Over Mold, 24.00cm
FM-R-008X	FM-S-008X	4.8mm Male Plug, 24.00cm
FM-R-008Y	FM-S-008Y	Anatomical Plug, 24.00cm
FM-R-008Z	FM-S-008Z	4.0mm Female Plug, On Demand
FM-R-008AA	FM-S-008AA	4.0mm Male Plug, On Demand
FM-R-008AB	FM-S-008AB	4.0mm Over Mold, On Demand
FM-R-008AC	FM-S-008AC	4.8mm Male Plug, On Demand
FM-R-008AD	FM-S-008AD	Anatomical Plug, On Demand

MONOPOLAR GILLIES FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-007A	FM-S-007A	4.0mm Female Plug, 15.50cm
FM-R-007B	FM-S-007B	4.0mm Male Plug, 15.50cm
FM-R-007C	FM-S-007C	4.0mm Over Mold, 15.50cm
FM-R-007D	FM-S-007D	4.8mm Male Plug, 15.50cm
FM-R-007E	FM-S-007E	Anatomical Plug, 15.50cm
FM-R-007F	FM-S-007F	4.0mm Female Plug, 18.00cm

MONOPOLAR GILLIES FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-007G	FM-S-007G	4.0mm Male Plug, 18.00cm
FM-R-007H	FM-S-007H	4.0mm Over Mold, 18.00cm
FM-R-007I	FM-S-007I	4.8mm Male Plug, 18.00cm
FM-R-007J	FM-S-007J	Anatomical Plug, 18.00cm
FM-R-007K	FM-S-007K	4.0mm Female Plug, 20.00cm
FM-R-007L	FM-S-007L	4.0mm Male Plug, 20.00cm
FM-R-007M	FM-S-007M	4.0mm Over Mold, 20.00cm
FM-R-007N	FM-S-007N	4.8mm Male Plug, 20.00cm
FM-R-007O	FM-S-007O	Anatomical Plug, 20.00cm
FM-R-007P	FM-S-007P	4.0mm Female Plug, 22.00cm
FM-R-007Q	FM-S-007Q	4.0mm Male Plug, 22.00cm
FM-R-007R	FM-S-007R	4.0mm Over Mold, 22.00cm
FM-R-007S	FM-S-007S	4.8mm Male Plug, 22.00cm
FM-R-007T	FM-S-007T	Anatomical Plug, 22.00cm
FM-R-007U	FM-S-007U	4.0mm Female Plug, 24.00cm
FM-R-007V	FM-S-007V	4.0mm Male Plug, 24.00cm
FM-R-007W	FM-S-007W	4.0mm Over Mold, 24.00cm
FM-R-007X	FM-S-007X	4.8mm Male Plug, 24.00cm
FM-R-007Y	FM-S-007Y	Anatomical Plug, 24.00cm
FM-R-007Z	FM-S-007Z	4.0mm Female Plug, On Demand
FM-R-007AA	FM-S-007AA	4.0mm Male Plug, On Demand
FM-R-007AB	FM-S-007AB	4.0mm Over Mold, On Demand
FM-R-007AC	FM-S-007AC	4.8mm Male Plug, On Demand
FM-R-007AD	FM-S-007AD	Anatomical Plug, On Demand

MONOPOLAR GERALD FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-006A	FM-S-006A	4.0mm Female Plug, 15.50cm
FM-R-006B	FM-S-006B	4.0mm Male Plug, 15.50cm
FM-R-006C	FM-S-006C	4.0mm Over Mold, 15.50cm
FM-R-006D	FM-S-006D	4.8mm Male Plug, 15.50cm
FM-R-006E	FM-S-006E	Anatomical Plug, 15.50cm

MONOPOLAR GERALD FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-006F	FM-S-006F	4.0mm Female Plug, 18.00cm
FM-R-006G	FM-S-006G	4.0mm Male Plug, 18.00cm
FM-R-006H	FM-S-006H	4.0mm Over Mold, 18.00cm
FM-R-006I	FM-S-006I	4.8mm Male Plug, 18.00cm
FM-R-006J	FM-S-006J	Anatomical Plug, 18.00cm
FM-R-006K	FM-S-006K	4.0mm Female Plug, 20.00cm
FM-R-006L	FM-S-006L	4.0mm Male Plug, 20.00cm
FM-R-006M	FM-S-006M	4.0mm Over Mold, 20.00cm
FM-R-006N	FM-S-006N	4.8mm Male Plug, 20.00cm
FM-R-006O	FM-S-006O	Anatomical Plug, 20.00cm
FM-R-006P	FM-S-006P	4.0mm Female Plug, 22.00cm
FM-R-006Q	FM-S-006Q	4.0mm Male Plug, 22.00cm
FM-R-006R	FM-S-006R	4.0mm Over Mold, 22.00cm
FM-R-006S	FM-S-006S	4.8mm Male Plug, 22.00cm
FM-R-006T	FM-S-006T	Anatomical Plug, 22.00cm
FM-R-006U	FM-S-006U	4.0mm Female Plug, 24.00cm
FM-R-006V	FM-S-006V	4.0mm Male Plug, 24.00cm
FM-R-006W	FM-S-006W	4.0mm Over Mold, 24.00cm
FM-R-006X	FM-S-006X	4.8mm Male Plug, 24.00cm
FM-R-006Y	FM-S-006Y	Anatomical Plug, 24.00cm
FM-R-006Z	FM-S-006Z	4.0mm Female Plug, On Demand
FM-R-006AA	FM-S-006AA	4.0mm Male Plug, On Demand
FM-R-006AB	FM-S-006AB	4.0mm Over Mold, On Demand
FM-R-006AC	FM-S-006AC	4.8mm Male Plug, On Demand
FM-R-006AD	FM-S-006AD	Anatomical Plug, On Demand

MONOPOLAR REMINGTON Hobb FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-009A	FM-S-009A	4.0mm Female Plug, 15.50cm
FM-R-009B	FM-S-009B	4.0mm Male Plug, 15.50cm
FM-R-009C	FM-S-009C	4.0mm Over Mold, 15.50cm
FM-R-009D	FM-S-009D	4.8mm Male Plug, 15.50cm

MONOPOLAR REMINGTON HOBBS FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-009E	FM-S-009E	Anatomical Plug, 15.50cm
FM-R-009F	FM-S-009F	4.0mm Female Plug, 18.00cm
FM-R-009G	FM-S-009G	4.0mm Male Plug, 18.00cm
FM-R-009H	FM-S-009H	4.0mm Over Mold, 18.00cm
FM-R-009I	FM-S-009I	4.8mm Male Plug, 18.00cm
FM-R-009J	FM-S-009J	Anatomical Plug, 18.00cm
FM-R-009K	FM-S-009K	4.0mm Female Plug, 20.00cm
FM-R-009L	FM-S-009L	4.0mm Male Plug, 20.00cm
FM-R-009M	FM-S-009M	4.0mm Over Mold, 20.00cm
FM-R-009N	FM-S-009N	4.8mm Male Plug, 20.00cm
FM-R-009O	FM-S-009O	Anatomical Plug, 20.00cm
FM-R-009P	FM-S-009P	4.0mm Female Plug, 22.00cm
FM-R-009Q	FM-S-009Q	4.0mm Male Plug, 22.00cm
FM-R-009R	FM-S-009R	4.0mm Over Mold, 22.00cm
FM-R-009S	FM-S-009S	4.8mm Male Plug, 22.00cm
FM-R-009T	FM-S-009T	Anatomical Plug, 22.00cm
FM-R-009U	FM-S-009U	4.0mm Female Plug, 24.00cm
FM-R-009V	FM-S-009V	4.0mm Male Plug, 24.00cm
FM-R-009W	FM-S-009W	4.0mm Over Mold, 24.00cm
FM-R-009X	FM-S-009X	4.8mm Male Plug, 24.00cm
FM-R-009Y	FM-S-009Y	Anatomical Plug, 24.00cm
FM-R-009Z	FM-S-009Z	4.0mm Female Plug, On Demand
FM-R-009AA	FM-S-009AA	4.0mm Male Plug, On Demand
FM-R-009AB	FM-S-009AB	4.0mm Over Mold, On Demand
FM-R-009AC	FM-S-009AC	4.8mm Male Plug, On Demand
FM-R-009AD	FM-S-009AD	Anatomical Plug, On Demand

MONOPOLAR DISSECTING FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-005A	FM-S-005A	4.0mm Female Plug, 15.50cm
FM-R-005B	FM-S-005B	4.0mm Male Plug, 15.50cm
FM-R-005C	FM-S-005C	4.0mm Over Mold, 15.50cm

MONOPOLAR DISSECTING FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-005D	FM-S-005D	4.8mm Male Plug, 15.50cm
FM-R-005E	FM-S-005E	Anatomical Plug, 15.50cm
FM-R-005F	FM-S-005F	4.0mm Female Plug, 18.00cm
FM-R-005G	FM-S-005G	4.0mm Male Plug, 18.00cm
FM-R-005H	FM-S-005H	4.0mm Over Mold, 18.00cm
FM-R-005I	FM-S-005I	4.8mm Male Plug, 18.00cm
FM-R-005J	FM-S-005J	Anatomical Plug, 18.00cm
FM-R-005K	FM-S-005K	4.0mm Female Plug, 20.00cm
FM-R-005L	FM-S-005L	4.0mm Male Plug, 20.00cm
FM-R-005M	FM-S-005M	4.0mm Over Mold, 20.00cm
FM-R-005N	FM-S-005N	4.8mm Male Plug, 20.00cm
FM-R-005O	FM-S-005O	Anatomical Plug, 20.00cm
FM-R-005P	FM-S-005P	4.0mm Female Plug, 22.00cm
FM-R-005Q	FM-S-005Q	4.0mm Male Plug, 22.00cm
FM-R-005R	FM-S-005R	4.0mm Over Mold, 22.00cm
FM-R-005S	FM-S-005S	4.8mm Male Plug, 22.00cm
FM-R-005T	FM-S-005T	Anatomical Plug, 22.00cm
FM-R-005U	FM-S-005U	4.0mm Female Plug, 24.00cm
FM-R-005V	FM-S-005V	4.0mm Male Plug, 24.00cm
FM-R-005W	FM-S-005W	4.0mm Over Mold, 24.00cm
FM-R-005X	FM-S-005X	4.8mm Male Plug, 24.00cm
FM-R-005Y	FM-S-005Y	Anatomical Plug, 24.00cm
FM-R-005Z	FM-S-005Z	4.0mm Female Plug, On Demand
FM-R-005AA	FM-S-005AA	4.0mm Male Plug, On Demand
FM-R-005AB	FM-S-005AB	4.0mm Over Mold, On Demand
FM-R-005AC	FM-S-005AC	4.8mm Male Plug, On Demand
FM-R-005AD	FM-S-005AD	Anatomical Plug, On Demand

MONOPOLAR BAYONET FORCEPS

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-004A	FM-S-004A	4.0mm Female Plug, 15.50cm
FM-R-004B	FM-S-004B	4.0mm Male Plug, 15.50cm

MONOPOLAR BAYONET FORCEPS (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-004C	FM-S-004C	4.0mm Over Mold, 15.50cm
FM-R-004D	FM-S-004D	4.8mm Male Plug, 15.50cm
FM-R-004E	FM-S-004E	Anatomical Plug, 15.50cm
FM-R-004F	FM-S-004F	4.0mm Female Plug, 18.00cm
FM-R-004G	FM-S-004G	4.0mm Male Plug, 18.00cm
FM-R-004H	FM-S-004H	4.0mm Over Mold, 18.00cm
FM-R-004I	FM-S-004I	4.8mm Male Plug, 18.00cm
FM-R-004J	FM-S-004J	Anatomical Plug, 18.00cm
FM-R-004K	FM-S-004K	4.0mm Female Plug, 20.00cm
FM-R-004L	FM-S-004L	4.0mm Male Plug, 20.00cm
FM-R-004M	FM-S-004M	4.0mm Over Mold, 20.00cm
FM-R-004N	FM-S-004N	4.8mm Male Plug, 20.00cm
FM-R-004O	FM-S-004O	Anatomical Plug, 20.00cm
FM-R-004P	FM-S-004P	4.0mm Female Plug, 22.00cm
FM-R-004Q	FM-S-004Q	4.0mm Male Plug, 22.00cm
FM-R-004R	FM-S-004R	4.0mm Over Mold, 22.00cm
FM-R-004S	FM-S-004S	4.8mm Male Plug, 22.00cm
FM-R-004T	FM-S-004T	Anatomical Plug, 22.00cm
FM-R-004U	FM-S-004U	4.0mm Female Plug, 24.00cm
FM-R-004V	FM-S-004V	4.0mm Male Plug, 24.00cm
FM-R-004W	FM-S-004W	4.0mm Over Mold, 24.00cm
FM-R-004X	FM-S-004X	4.8mm Male Plug, 24.00cm
FM-R-004Y	FM-S-004Y	Anatomical Plug, 24.00cm
FM-R-004Z	FM-S-004Z	4.0mm Female Plug, On Demand
FM-R-004AA	FM-S-004AA	4.0mm Male Plug, On Demand
FM-R-004AB	FM-S-004AB	4.0mm Over Mold, On Demand
FM-R-004AC	FM-S-004AC	4.8mm Male Plug, On Demand
FM-R-004AD	FM-S-004AD	Anatomical Plug, On Demand

Shape Variants

MONOPOLAR WILSON HEY FORCEPS – STRAIGHT

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-013A	FM-S-013A	4.0mm Female Plug, 15.50cm
FM-R-013B	FM-S-013B	4.0mm Male Plug, 15.50cm
FM-R-013C	FM-S-013C	4.8mm Male Plug, 15.50cm
FM-R-013D	FM-S-013D	4.0mm Female Plug, 18.00cm
FM-R-013E	FM-S-013E	4.0mm Male Plug, 18.00cm
FM-R-013F	FM-S-013F	4.8mm Male Plug, 18.00cm
FM-R-013G	FM-S-013G	4.0mm Female Plug, 20.00cm
FM-R-013H	FM-S-013H	4.0mm Male Plug, 20.00cm
FM-R-013I	FM-S-013I	4.8mm Male Plug, 20.00cm
FM-R-013J	FM-S-013J	4.0mm Female Plug, 22.00cm
FM-R-013K	FM-S-013K	4.0mm Male Plug, 22.00cm
FM-R-013L	FM-S-013L	4.8mm Male Plug, 22.00cm
FM-R-013M	FM-S-013M	4.0mm Female Plug, 24.00cm
FM-R-013N	FM-S-013N	4.0mm Male Plug, 24.00cm
FM-R-013O	FM-S-013O	4.8mm Male Plug, 24.00cm

MONOPOLAR WILSON HEY FORCEPS – ANGLED

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-012A	FM-S-012A	4.0mm Female Plug, 15.50cm
FM-R-012B	FM-S-012B	4.0mm Male Plug, 15.50cm
FM-R-012C	FM-S-012C	4.8mm Male Plug, 15.50cm
FM-R-012D	FM-S-012D	4.0mm Female Plug, 18.00cm
FM-R-012E	FM-S-012E	4.0mm Male Plug, 18.00cm
FM-R-012F	FM-S-012F	4.8mm Male Plug, 18.00cm
FM-R-012G	FM-S-012G	4.0mm Female Plug, 20.00cm
FM-R-012H	FM-S-012H	4.0mm Male Plug, 20.00cm
FM-R-012I	FM-S-012I	4.8mm Male Plug, 20.00cm
FM-R-012J	FM-S-012J	4.0mm Female Plug, 22.00cm
FM-R-012K	FM-S-012K	4.0mm Male Plug, 22.00cm
FM-R-012L	FM-S-012L	4.8mm Male Plug, 22.00cm

MONOPOLAR WILSON HEY FORCEPS – ANGLED (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-012M	FM-S-012M	4.0mm Female Plug, 24.00cm
FM-R-012N	FM-S-012N	4.0mm Male Plug, 24.00cm
FM-R-012O	FM-S-012O	4.8mm Male Plug, 24.00cm

MONOPOLAR ARTERY FORCEPS – STRAIGHT

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-003A	FM-S-003A	4.0mm Female Plug, 15.50cm
FM-R-003B	FM-S-003B	4.0mm Male Plug, 15.50cm
FM-R-003C	FM-S-003C	4.8mm Male Plug, 15.50cm
FM-R-003D	FM-S-003D	4.0mm Female Plug, 18.00cm
FM-R-003E	FM-S-003E	4.0mm Male Plug, 18.00cm
FM-R-003F	FM-S-003F	4.8mm Male Plug, 18.00cm
FM-R-003G	FM-S-003G	4.0mm Female Plug, 20.00cm
FM-R-003H	FM-S-003H	4.0mm Male Plug, 20.00cm
FM-R-003I	FM-S-003I	4.8mm Male Plug, 20.00cm
FM-R-003J	FM-S-003J	4.0mm Female Plug, 22.00cm
FM-R-003K	FM-S-003K	4.0mm Male Plug, 22.00cm
FM-R-003L	FM-S-003L	4.8mm Male Plug, 22.00cm
FM-R-003M	FM-S-003M	4.0mm Female Plug, 24.00cm
FM-R-003N	FM-S-003N	4.0mm Male Plug, 24.00cm
FM-R-003O	FM-S-003O	4.8mm Male Plug, 24.00cm

MONOPOLAR ARTERY FORCEPS – ANGLED

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-002A	FM-S-002A	4.0mm Female Plug, 15.50cm
FM-R-002B	FM-S-002B	4.0mm Male Plug, 15.50cm
FM-R-002C	FM-S-002C	4.8mm Male Plug, 15.50cm
FM-R-002D	FM-S-002D	4.0mm Female Plug, 18.00cm
FM-R-002E	FM-S-002E	4.0mm Male Plug, 18.00cm
FM-R-002F	FM-S-002F	4.8mm Male Plug, 18.00cm
FM-R-002G	FM-S-002G	4.0mm Female Plug, 20.00cm
FM-R-002H	FM-S-002H	4.0mm Male Plug, 20.00cm
FM-R-002I	FM-S-002I	4.8mm Male Plug, 20.00cm

MONOPOLAR ARTERY FORCEPS – ANGLED (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-002J	FM-S-002J	4.0mm Female Plug, 22.00cm
FM-R-002K	FM-S-002K	4.0mm Male Plug, 22.00cm
FM-R-002L	FM-S-002L	4.8mm Male Plug, 22.00cm
FM-R-002M	FM-S-002M	4.0mm Female Plug, 24.00cm
FM-R-002N	FM-S-002N	4.0mm Male Plug, 24.00cm
FM-R-002O	FM-S-002O	4.8mm Male Plug, 24.00cm

MONOPOLAR RICHIE FORCEPS – STRAIGHT

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-011A	FM-S-011A	4.0mm Female Plug, 15.50cm
FM-R-011B	FM-S-011B	4.0mm Male Plug, 15.50cm
FM-R-011C	FM-S-011C	4.8mm Male Plug, 15.50cm
FM-R-011D	FM-S-011D	4.0mm Female Plug, 18.00cm
FM-R-011E	FM-S-011E	4.0mm Male Plug, 18.00cm
FM-R-011F	FM-S-011F	4.8mm Male Plug, 18.00cm
FM-R-011G	FM-S-011G	4.0mm Female Plug, 20.00cm
FM-R-011H	FM-S-011H	4.0mm Male Plug, 20.00cm
FM-R-011I	FM-S-011I	4.8mm Male Plug, 20.00cm
FM-R-011J	FM-S-011J	4.0mm Female Plug, 22.00cm
FM-R-011K	FM-S-011K	4.0mm Male Plug, 22.00cm
FM-R-011L	FM-S-011L	4.8mm Male Plug, 22.00cm
FM-R-011M	FM-S-011M	4.0mm Female Plug, 24.00cm
FM-R-011N	FM-S-011N	4.0mm Male Plug, 24.00cm
FM-R-011O	FM-S-011O	4.8mm Male Plug, 24.00cm

MONOPOLAR RICHIE FORCEPS – ANGLED

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-010A	FM-S-010A	4.0mm Female Plug, 15.50cm
FM-R-010B	FM-S-010B	4.0mm Male Plug, 15.50cm
FM-R-010C	FM-S-010C	4.8mm Male Plug, 15.50cm
FM-R-010D	FM-S-010D	4.0mm Female Plug, 18.00cm
FM-R-010E	FM-S-010E	4.0mm Male Plug, 18.00cm
FM-R-010F	FM-S-010F	4.8mm Male Plug, 18.00cm

MONOPOLAR RICHIE FORCEPS – ANGLED (CONTINUED)

REUSABLE	SINGLE-USE	CONNECTOR, LENGTH
FM-R-010G	FM-S-010G	4.0mm Female Plug, 20.00cm
FM-R-010H	FM-S-010H	4.0mm Male Plug, 20.00cm
FM-R-010I	FM-S-010I	4.8mm Male Plug, 20.00cm
FM-R-010J	FM-S-010J	4.0mm Female Plug, 22.00cm
FM-R-010K	FM-S-010K	4.0mm Male Plug, 22.00cm
FM-R-010L	FM-S-010L	4.8mm Male Plug, 22.00cm
FM-R-010M	FM-S-010M	4.0mm Female Plug, 24.00cm
FM-R-010N	FM-S-010N	4.0mm Male Plug, 24.00cm
FM-R-010O	FM-S-010O	4.8mm Male Plug, 24.00cm

Electrosurgery Cables – Bipolar

01 Aesculap / Berchtold / Wolf / Martin

02 BOWA / Limidey / EMC / Valleylab / Ethicon

03 ERBE 4mm / Siemens / Sutter BM50

04 International 4mm Banana Plug Fitting

Bipolar Cable – Aesculap / Berchtold / Wolf / Martin

REUSABLE	SINGLE-USE	LENGTH
CB-R-001A	CB-S-001A	3 metre
CB-R-001B	CB-S-001B	5 metre
CB-R-001C	CB-S-001C	3 metre
CB-R-001D	CB-S-001D	5 metre
CB-R-001E	CB-S-001E	3 metre
CB-R-001F	CB-S-001F	5 metre
CB-R-001G	CB-S-001G	3 metre
CB-R-001H	CB-S-001H	5 metre
CB-R-001I	CB-S-001I	3 metre
CB-R-001J	CB-S-001J	5 metre
CB-R-001K	CB-S-001K	3 metre
CB-R-001L	CB-S-001L	5 metre
CB-R-001M	CB-S-001M	3 metre
CB-R-001N	CB-S-001N	5 metre
CB-R-001O	CB-S-001O	3 metre
CB-R-001P	CB-S-001P	5 metre

Bipolar Cable – BOWA / Limidey / EMC / Valleylab / Ethicon

REUSABLE	SINGLE-USE	LENGTH
CB-R-002A	CB-S-002A	3 metre
CB-R-002B	CB-S-002B	5 metre
CB-R-002C	CB-S-002C	3 metre
CB-R-002D	CB-S-002D	5 metre
CB-R-002E	CB-S-002E	3 metre
CB-R-002F	CB-S-002F	5 metre
CB-R-002G	CB-S-002G	3 metre
CB-R-002H	CB-S-002H	5 metre
CB-R-002I	CB-S-002I	3 metre

BIPOLAR CABLE – BOWA / LIMIDEY / EMC / VALLEYLAB / ETHICON (CONTINUED)

REUSABLE	SINGLE-USE	LENGTH
CB-R-002J	CB-S-002J	5 metre
CB-R-002K	CB-S-002K	3 metre
CB-R-002L	CB-S-002L	5 metre
CB-R-002M	CB-S-002M	3 metre
CB-R-002N	CB-S-002N	5 metre
CB-R-002O	CB-S-002O	3 metre
CB-R-002P	CB-S-002P	5 metre

Bipolar Cable – ERBE 4mm / Siemens / Sutter BM50

REUSABLE	SINGLE-USE	LENGTH
CB-R-003A	CB-S-003A	3 metre
CB-R-003B	CB-S-003B	5 metre
CB-R-003C	CB-S-003C	3 metre
CB-R-003D	CB-S-003D	5 metre
CB-R-003E	CB-S-003E	3 metre
CB-R-003F	CB-S-003F	5 metre
CB-R-003G	CB-S-003G	3 metre
CB-R-003H	CB-S-003H	5 metre
CB-R-003I	CB-S-003I	3 metre
CB-R-003J	CB-S-003J	5 metre
CB-R-003K	CB-S-003K	3 metre
CB-R-003L	CB-S-003L	5 metre
CB-R-003M	CB-S-003M	3 metre
CB-R-003N	CB-S-003N	5 metre
CB-R-003O	CB-S-003O	3 metre
CB-R-003P	CB-S-003P	5 metre

Bipolar Cable – International 4mm Banana Plug Fitting

REUSABLE	SINGLE-USE	LENGTH
CB-R-004A	CB-S-004A	3 metre
CB-R-004B	CB-S-004B	5 metre
CB-R-004C	CB-S-004C	3 metre
CB-R-004D	CB-S-004D	5 metre
CB-R-004E	CB-S-004E	3 metre
CB-R-004F	CB-S-004F	5 metre
CB-R-004G	CB-S-004G	3 metre
CB-R-004H	CB-S-004H	5 metre
CB-R-004I	CB-S-004I	3 metre
CB-R-004J	CB-S-004J	5 metre
CB-R-004K	CB-S-004K	3 metre
CB-R-004L	CB-S-004L	5 metre
CB-R-004M	CB-S-004M	3 metre
CB-R-004N	CB-S-004N	5 metre
CB-R-004O	CB-S-004O	3 metre
CB-R-004P	CB-S-004P	5 metre

ELECTROSURGERY & CABLES

Electrosurgery Cables – Monopolar

01 4mm Pin Plug – Aesculap/Berchtold/ERBE T-Series/Sutter (A)

02 4mm Pin Plug – Aesculap/Berchtold/ERBE T-Series/Sutter (B)

03 8mm Pin Plug – Bovie/Conmed/Bard/Valleylab/BOWA

04 International 3 Pin Plug Fitting (Diathermy)

MONOPOLAR CABLE – 4MM PIN PLUG – AESCULAP/BERCHTOLD/ERBE T-SERIES/SUTTER (A)

REUSABLE	SINGLE-USE	LENGTH
CM-R-001A	CM-S-001A	3 metre
CM-R-001B	CM-S-001B	5 metre
CM-R-001C	CM-S-001C	3 metre
CM-R-001D	CM-S-001D	5 metre
CM-R-001E	CM-S-001E	3 metre
CM-R-001F	CM-S-001F	5 metre
CM-R-001G	CM-S-001G	3 metre
CM-R-001H	CM-S-001H	5 metre

MONOPOLAR CABLE – 4MM PIN PLUG – AESCULAP/BERCHTOLD/ERBE T-SERIES/SUTTER (B)

REUSABLE	SINGLE-USE	LENGTH
CM-R-002A	CM-S-002A	3 metre
CM-R-002B	CM-S-002B	5 metre
CM-R-002C	CM-S-002C	3 metre
CM-R-002D	CM-S-002D	5 metre
CM-R-002E	CM-S-002E	3 metre
CM-R-002F	CM-S-002F	5 metre
CM-R-002G	CM-S-002G	3 metre
CM-R-002H	CM-S-002H	5 metre

MONOPOLAR CABLE – 8MM PIN PLUG – BOVIE/CONMED/BARD/VALLEYLAB/BOWA

REUSABLE	SINGLE-USE	LENGTH
CM-R-003A	CM-S-003A	3 metre
CM-R-003B	CM-S-003B	5 metre
CM-R-003C	CM-S-003C	3 metre
CM-R-003D	CM-S-003D	5 metre
CM-R-003E	CM-S-003E	3 metre
CM-R-003F	CM-S-003F	5 metre

MONOPOLAR CABLE – 8MM PIN PLUG – BOVIE/CONMED/BARD/VALLEYLAB/BOWA (CONTINUED)

REUSABLE	SINGLE-USE	LENGTH
CM-R-003G	CM-S-003G	3 metre
CM-R-003H	CM-S-003H	5 metre

MONOPOLAR CABLE – INTERNATIONAL 3 PIN PLUG FITTING (DIATHERMY)

REUSABLE	SINGLE-USE	LENGTH
CM-R-004A	CM-S-004A	3 metre
CM-R-004B	CM-S-004B	5 metre
CM-R-004C	CM-S-004C	3 metre
CM-R-004D	CM-S-004D	5 metre
CM-R-004E	CM-S-004E	3 metre
CM-R-004F	CM-S-004F	5 metre
CM-R-004G	CM-S-004G	3 metre
CM-R-004H	CM-S-004H	5 metre

Diathermy Pencils

01 Hand Control

02 Foot Control

Hand Control

HAND CONTROL PENCIL – STANDARD

REUSABLE	SINGLE-USE	LENGTH
PE-R-011A	PE-S-011A	4mm ERBE T-Series, 3 metre
PE-R-011B	PE-S-011B	4mm ERBE T-Series, 5 metre
PE-R-011C	PE-S-011C	4mm ERBE T-Series, Custom
PE-R-012A	PE-S-012A	5mm ERBE ACC/V10/Karl Storz, 3 metre
PE-R-012B	PE-S-012B	5mm ERBE ACC/V10/Karl Storz, 5 metre
PE-R-012C	PE-S-012C	5mm ERBE ACC/V10/Karl Storz, Custom
PE-R-013A	PE-S-013A	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 3 metre
PE-R-013B	PE-S-013B	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 5 metre
PE-R-013C	PE-S-013C	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, Custom

HAND CONTROL PENCIL – PREMIUM

REUSABLE	SINGLE-USE	LENGTH
PE-R-007A	PE-S-007A	4mm ERBE T-Series, 3 metre
PE-R-007B	PE-S-007B	4mm ERBE T-Series, 5 metre
PE-R-007C	PE-S-007C	4mm ERBE T-Series, Custom
PE-R-008A	PE-S-008A	5mm ERBE ACC/V10/Karl Storz, 3 metre
PE-R-008B	PE-S-008B	5mm ERBE ACC/V10/Karl Storz, 5 metre
PE-R-008C	PE-S-008C	5mm ERBE ACC/V10/Karl Storz, Custom
PE-R-009A	PE-S-009A	Aesculap/Berchtold/Integra/Martin, 3 metre
PE-R-009B	PE-S-009B	Aesculap/Berchtold/Integra/Martin, 5 metre
PE-R-009C	PE-S-009C	Aesculap/Berchtold/Integra/Martin, Custom
PE-R-010A	PE-S-010A	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 3 metre
PE-R-010B	PE-S-010B	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 5 metre
PE-R-010C	PE-S-010C	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, Custom

Foot Control

FOOT CONTROL PENCIL – STANDARD

REUSABLE	SINGLE-USE	LENGTH
PE-R-004A	PE-S-004A	5mm ERBE ACC/V10/Karl Storz, 3 metre
PE-R-004B	PE-S-004B	5mm ERBE ACC/V10/Karl Storz, 5 metre

FOOT CONTROL PENCIL – STANDARD (CONTINUED)

REUSABLE	SINGLE-USE	LENGTH
PE-R-004C	PE-S-004C	5mm ERBE ACC/V10/Karl Storz, Custom
PE-R-005A	PE-S-005A	8mm ERBE T-Series, 3 metre
PE-R-005B	PE-S-005B	8mm ERBE T-Series, 5 metre
PE-R-005C	PE-S-005C	8mm ERBE T-Series, Custom
PE-R-006A	PE-S-006A	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 3 metre
PE-R-006B	PE-S-006B	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 5 metre
PE-R-006C	PE-S-006C	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, Custom

FOOT CONTROL PENCIL – PREMIUM

REUSABLE	SINGLE-USE	LENGTH
PE-R-001A	PE-S-001A	5mm ERBE ACC/V10/Karl Storz, 3 metre
PE-R-001B	PE-S-001B	5mm ERBE ACC/V10/Karl Storz, 5 metre
PE-R-001C	PE-S-001C	5mm ERBE ACC/V10/Karl Storz, Custom
PE-R-002A	PE-S-002A	8mm ERBE T-Series, 3 metre
PE-R-002B	PE-S-002B	8mm ERBE T-Series, 5 metre
PE-R-002C	PE-S-002C	8mm ERBE T-Series, Custom
PE-R-003A	PE-S-003A	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 3 metre
PE-R-003B	PE-S-003B	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, 5 metre
PE-R-003C	PE-S-003C	Valleylab/BOWA/Erbe ICC/VIO/Eschmann/Conmed, Custom


FOOT CONTROL PENCIL – REPAIRABLE

REUSABLE	SINGLE-USE	LENGTH
PE-R-014	PE-S-014	—, —

Electrodes

01 Short Electrodes

02 Long Electrodes



Short Electrodes

STANDARD SHORT ELECTRODES

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-004A	PE-S-004A	Blade Electrode, 2.5x20mm
PE-R-004B	PE-S-004B	Blade Electrode Angled 45°, 2.5x20mm
PE-R-004C	PE-S-004C	Needle Electrode, 1x20mm
PE-R-004D	PE-S-004D	Needle Electrode Blunt Edge, 0.8x20mm
PE-R-004E	PE-S-004E	Needle Electrode Sharp Edge, 0.8x20mm
PE-R-004F	PE-S-004F	Needle Electrode Isolated, 0.5x20mm
PE-R-004G	PE-S-004G	Knife Electrode, 2.5x20mm
PE-R-004H	PE-S-004H	Knife Electrode, 3x20mm
PE-R-004I	PE-S-004I	Knife Electrode Angled 45°, 2.5x20mm
PE-R-004J	PE-S-004J	Knife Electrode Angled 45°, 3x20mm
PE-R-004K	PE-S-004K	Classic Knife Electrode, 2.5x20mm
PE-R-004L	PE-S-004L	Classic Knife Electrode, 3x24mm
PE-R-004M	PE-S-004M	Ball Electrode Straight, 2mm
PE-R-004N	PE-S-004N	Ball Electrode Straight, 4mm
PE-R-004O	PE-S-004O	Ball Electrode Straight, 6mm
PE-R-004P	PE-S-004P	Ball Electrode Angled 45°, 2mm
PE-R-004Q	PE-S-004Q	Ball Electrode Angled 45°, 4mm
PE-R-004R	PE-S-004R	Ball Electrode Angled 45°, 6mm
PE-R-004S	PE-S-004S	Blade Electrode, 2.5x20mm
PE-R-004T	PE-S-004T	Blade Electrode Angled 45°, 2.5x20mm
PE-R-004U	PE-S-004U	Blade Electrode Isolated, 2x16mm
PE-R-004V	PE-S-004V	Knife Electrode, 3.3x25mm
PE-R-004W	PE-S-004W	Knife Electrode Angled 45°, 3.3x25mm
PE-R-004X	PE-S-004X	Lancet-Cutting Electrode, 2.5x25mm
PE-R-004Y	PE-S-004Y	Lancet-Cutting Electrode, 1.6x19mm
PE-R-004Z	PE-S-004Z	Classic Needle Electrode, 0.8mm diameter
PE-R-004AA	PE-S-004AA	Needle Electrode Edged, 0.5x20mm
PE-R-004AB	PE-S-004AB	Isolated Needle Electrode, 0.8mm diameter
PE-R-004AC	PE-S-004AC	Isolated Needle Electrode, 0.5x20mm

STANDARD SHORT ELECTRODES (CONTINUED)

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-004AD	PE-S-004AD	Ball Electrode, 2mm diameter
PE-R-004AE	PE-S-004AE	Ball Electrode, 4mm diameter
PE-R-004AF	PE-S-004AF	Ball Electrode, 6mm diameter
PE-R-004AG	PE-S-004AG	Ball Electrode Angled 45°, 2mm diameter
PE-R-004AH	PE-S-004AH	Ball Electrode Angled 45°, 4mm diameter
PE-R-004AI	PE-S-004AI	Ball Electrode Angled 45°, 6mm diameter
PE-R-004AJ	PE-S-004AJ	Loop Electrode, 4mm diameter
PE-R-004AK	PE-S-004AK	Loop Electrode, 6mm diameter
PE-R-004AL	PE-S-004AL	Loop Electrode, 10mm diameter
PE-R-004AM	PE-S-004AM	Loop Electrode, 15mm diameter
PE-R-004AN	PE-S-004AN	Tungsten Needle Electrode, 0.5x20mm
PE-R-004AO	PE-S-004AO	Tungsten Needle Electrode, 0.5x20mm
PE-R-004AP	PE-S-004AP	Blade Electrode Angled 45°, Blunt
PE-R-004AQ	PE-S-004AQ	Needle Electrode, 0.2mm diameter
PE-R-004AR	PE-S-004AR	Needle Electrode Angled 45°, 0.2mm diameter
PE-R-004AS	PE-S-004AS	Ball Electrode, 1.7mm diameter
PE-R-004AT	PE-S-004AT	Ball Electrode Angled 45°, 1.7mm diameter
PE-R-004AU	PE-S-004AU	Ball Electrode, 1.7mm diameter
PE-R-004AV	PE-S-004AV	Ball Electrode Angled 45°, 1.7mm diameter
PE-R-004AW	PE-S-004AW	Loop Electrodes, 0.3mm diameter
PE-R-004AX	PE-S-004AX	Loop Electrodes, 0.5mm diameter
PE-R-004AY	PE-S-004AY	Loop Electrodes, 0.8mm diameter
PE-R-004AZ	PE-S-004AZ	Needle Electrode Angled 45°, 1x20mm (per source; Zirrah gave 1x120mm — flagged for confirmation)

STANDARD SHORT LOOP ELECTRODES

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-005A	PE-S-005A	Wire Loop Electrode, 4mm diameter
PE-R-005B	PE-S-005B	Wire Loop Electrode, 10mm diameter
PE-R-005C	PE-S-005C	Wire Loop Electrode, 14mm diameter
PE-R-005D	PE-S-005D	Ribbon Loop Electrode, 4mm diameter
PE-R-005E	PE-S-005E	Ribbon Loop Electrode, 10mm diameter
PE-R-005F	PE-S-005F	Wire Diamond Loop, 6mm diameter

Long Electrodes

STANDARD LONG ELECTRODES

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-002A	PE-S-002A	Blade Electrode, 2.4x20mm
PE-R-002B	PE-S-002B	Blade Electrode Angled 45°, 2.4x20mm
PE-R-002C	PE-S-002C	Knife Electrode, 2.4x10mm
PE-R-002D	PE-S-002D	Knife Electrode Angled 45°, 2.4x10mm
PE-R-002E	PE-S-002E	Knife Electrode, 3.3x25mm
PE-R-002F	PE-S-002F	Classic Knife Electrode, 3.3x20mm
PE-R-002G	PE-S-002G	Needle Electrode, 0.8x12mm
PE-R-002H	PE-S-002H	Needle Electrode Isolated, 0.5x20mm
PE-R-002I	PE-S-002I	Needle Electrode, 0.8x12mm
PE-R-002J	PE-S-002J	Ball Electrode Straight, 2mm
PE-R-002K	PE-S-002K	Ball Electrode Straight, 4mm
PE-R-002L	PE-S-002L	Ball Electrode Straight, 6mm
PE-R-002M	PE-S-002M	Ball Electrode Straight, 8mm
PE-R-002N	PE-S-002N	Blade Electrode, 2x16mm
PE-R-002O	PE-S-002O	Blade Electrode, 2.4x20mm
PE-R-002P	PE-S-002P	Blade Electrode Angled 45°, 2.4x20mm
PE-R-002Q	PE-S-002Q	Knife Electrode, 2.4x10mm
PE-R-002R	PE-S-002R	Knife Electrode Angled 45°, 2.4x10mm
PE-R-002S	PE-S-002S	Knife Electrode, 3.3x25mm
PE-R-002T	PE-S-002T	Classic Knife Electrode, 3.3x20mm
PE-R-002U	PE-S-002U	Needle Electrode, 0.8x12mm
PE-R-002V	PE-S-002V	Needle Electrode Isolated, 0.5x20mm
PE-R-002W	PE-S-002W	Needle Electrode, 0.8x12mm
PE-R-002X	PE-S-002X	Ball Electrode Straight, 2mm
PE-R-002Y	PE-S-002Y	Ball Electrode Straight, 4mm
PE-R-002Z	PE-S-002Z	Ball Electrode Straight, 6mm
PE-R-002AA	PE-S-002AA	Ball Electrode Straight, 8mm

STANDARD LONG LOOP ELECTRODES

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-003A	PE-S-003A	Loop Electrode, 4mm diameter
PE-R-003B	PE-S-003B	Loop Electrode, 6mm diameter
PE-R-003C	PE-S-003C	Loop Electrode, 10mm diameter
PE-R-003D	PE-S-003D	Loop Electrode, 15mm diameter
PE-R-003E	PE-S-003E	Classic Loop Electrode, 10x10mm
PE-R-003F	PE-S-003F	Classic Loop Electrode, 15x15mm
PE-R-003G	PE-S-003G	Classic Loop Electrode, 15x20mm
PE-R-003H	PE-S-003H	Classic Loop Electrode, 20x20mm
PE-R-003I	PE-S-003I	Classic Loop Electrode, 20x25mm
PE-R-003J	PE-S-003J	Loop Electrode Angular, 10mm diameter
PE-R-003K	PE-S-003K	Loop Electrode Angular, 15mm diameter
PE-R-003L	PE-S-003L	Loop Electrode Angular, 20mm diameter
PE-R-003M	PE-S-003M	Loop Electrode Angular, 25mm diameter
PE-R-003N	PE-S-003N	Loop Electrode Angular, 30mm diameter
PE-R-003O	PE-S-003O	Conization Loop Electrode, 10x25mm
PE-R-003P	PE-S-003P	Conization Loop Electrode, 12x25mm
PE-R-003Q	PE-S-003Q	Conization Loop Electrode, 15x25mm
PE-R-003R	PE-S-003R	Conization Loop Electrode, 20x25mm
PE-R-003S	PE-S-003S	Conization Loop Electrode, 25x25mm

LONG LOOP ELECTRODES

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-001A	PE-S-001A	Loop Electrode, 4mm diameter
PE-R-001B	PE-S-001B	Loop Electrode, 6mm diameter
PE-R-001C	PE-S-001C	Loop Electrode, 10mm diameter
PE-R-001D	PE-S-001D	Loop Electrode, 15mm diameter
PE-R-001E	PE-S-001E	Classic Loop Electrode, 10x10mm
PE-R-001F	PE-S-001F	Classic Loop Electrode, 15x15mm
PE-R-001G	PE-S-001G	Classic Loop Electrode, 15x20mm
PE-R-001H	PE-S-001H	Classic Loop Electrode, 20x20mm
PE-R-001I	PE-S-001I	Classic Loop Electrode, 20x25mm
PE-R-001J	PE-S-001J	Loop Electrode Angular, 10mm diameter

LONG LOOP ELECTRODES (CONTINUED)

REUSABLE	SINGLE-USE	VARIANT / SIZE
PE-R-001K	PE-S-001K	Loop Electrode Angular, 15mm diameter
PE-R-001L	PE-S-001L	Loop Electrode Angular, 20mm diameter
PE-R-001M	PE-S-001M	Loop Electrode Angular, 25mm diameter
PE-R-001N	PE-S-001N	Loop Electrode Angular, 30mm diameter
PE-R-001O	PE-S-001O	Conization Loop Electrode, 10x25mm
PE-R-001P	PE-S-001P	Conization Loop Electrode, 12x25mm
PE-R-001Q	PE-S-001Q	Conization Loop Electrode, 15x25mm
PE-R-001R	PE-S-001R	Conization Loop Electrode, 20x25mm
PE-R-001S	PE-S-001S	Conization Loop Electrode, 25x25mm

Laparoscopic Instruments

01 Complete Forceps

02 Cables

03 General Instruments

04 Electrodes



Complete Forceps

MONOPOLAR LAPAROSCOPIC COMPLETE FORCEPS

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-007A	LI-S-007A	Grasping Forceps with Teeth
LI-R-007B	LI-S-007B	Punch Grasping Forceps with Hole
LI-R-007C	LI-S-007C	Scissor Curved
LI-R-007D	LI-S-007D	Grasping Forceps with Punch Teeth
LI-R-007E	LI-S-007E	Grasping Forceps with Teeth, Curved Shape
LI-R-007F	LI-S-007F	Atraumatic Grasping Forceps

BIPOLAR LAPAROSCOPIC COMPLETE FORCEPS

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-002A	LI-S-002A	Grasping Forceps with Teeth
LI-R-002B	LI-S-002B	Punch Grasping Forceps with Hole
LI-R-002C	LI-S-002C	Scissor Curved
LI-R-002D	LI-S-002D	Grasping Forceps with Punch Teeth
LI-R-002E	LI-S-002E	Grasping Forceps with Teeth, Curved Shape
LI-R-002F	LI-S-002F	Atraumatic Grasping Forceps

Cables

MONOPOLAR LAPAROSCOPIC CABLE

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-006A	LI-S-006A	4mm Banana Plug 3m / 5m
LI-R-006B	LI-S-006B	8mm Banana Plug 3m / 5m

BIPOLAR LAPAROSCOPIC CABLE

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-001A	LI-S-001A	4mm Banana Plug, International ESU 3m / 5m
LI-R-001B	LI-S-001B	ERBE Series ESU 3m / 5m
LI-R-001C	LI-S-001C	Martin Series ESU 3m / 5m

General Instruments

GENERAL LAPAROSCOPIC FORCEPS (INSULATED / NON-INSULATED)

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-004A	LI-S-004A	Clip Applicator Shaft 10x330mm

GENERAL LAPAROSCOPIC FORCEPS (INSULATED / NON-INSULATED) (CONTINUED)

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-004B	LI-S-004B	Needle-Holder Forceps Shaft 5x330mm
LI-R-004C	LI-S-004C	Grasping Forceps Shaft 5x330mm
LI-R-004D	LI-S-004D	Intestine Forceps with Archer Shaft 10x330mm
LI-R-004E	LI-S-004E	Straight Scissor with Rotating Clip Shaft 10x330mm
LI-R-004F	LI-S-004F	Single Action Scissor Curved Shaft 10x330mm
LI-R-004G	LI-S-004G	Splenic Stalk Suturing Forceps Shaft 10x330mm
LI-R-004H	LI-S-004H	Duck-Jaw Forceps Shaft 10x330mm
LI-R-004I	LI-S-004I	Large Curved Dissecting Forceps, 4mm Banana Plug Shaft 10x330mm
LI-R-004J	LI-S-004J	Dissecting Forceps Right Angle, 4mm Banana Plug Shaft 10x330mm
LI-R-004K	LI-S-004K	Articulating Allis Grasper, 4mm Banana Plug Shaft 5x330mm
LI-R-004L	LI-S-004L	Articulating Atraumatic Grasper, 4mm Banana Plug Shaft 5x330mm

GENERAL LAPAROSCOPIC TIPS

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-005A	LI-S-005A	Grasping Forceps with Teeth
LI-R-005B	LI-S-005B	Punch Grasping Forceps with Hole
LI-R-005C	LI-S-005C	Scissor Curved
LI-R-005D	LI-S-005D	Grasping Forceps with Punch Teeth
LI-R-005E	LI-S-005E	Grasping Forceps with Teeth, Curved Shape
LI-R-005F	LI-S-005F	Atraumatic Grasping Forceps

DISPOSABLE GENERAL LAPAROSCOPIC FORCEPS (PLASTIC HANDLES)

REUSABLE	SINGLE-USE	VARIANT / SIZE
None	LI-S-003A	Smart Hand Piece with Curved Scissor Tip Shaft 5x280mm
None	LI-S-003B	Standard Forceps with Dissecting Tip Shaft 5x330mm

Electrodes

MONOPOLAR LAPAROSCOPIC ELECTRODE – WITHOUT SUCTION

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-009A	LI-S-009A	J Hook Electrode
LI-R-009B	LI-S-009B	L Hook Electrode
LI-R-009C	LI-S-009C	Specula Electrode
LI-R-009D	LI-S-009D	Needle Electrode

MONOPOLAR LAPAROSCOPIC ELECTRODE – WITHOUT SUCTION (CONTINUED)

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-009E	LI-S-009E	Ball Electrode

MONOPOLAR LAPAROSCOPIC ELECTRODE – WITH SUCTION

REUSABLE	SINGLE-USE	VARIANT / SIZE
LI-R-008A	LI-S-008A	J Hook Electrode
LI-R-008B	LI-S-008B	L Hook Electrode
LI-R-008C	LI-S-008C	Specula Electrode
LI-R-008D	LI-S-008D	Needle Electrode
LI-R-008E	LI-S-008E	Ball Electrode

Patient Return Plates & Accessories

01 Return Plates

02 Connecting Cables

03 Accessories

Return Plates

CLASSIC RETURN PLATE – WITH CABLE

REUSABLE	SINGLE-USE	VARIANT
RP-R-001A	RP-S-001A	Martin / ERBE / Berchtold / Tekno, Adult 260x150x3.3mm
RP-R-001B	RP-S-001B	Valleylab / Conmed / BOWA, Adult 260x150x3.3mm

CLASSIC RETURN PLATE – WITHOUT CABLE

REUSABLE	SINGLE-USE	VARIANT
RP-R-002A	RP-S-002A	Adult 260x150x3.3mm
RP-R-002B	RP-S-002B	Child 200x80x3.3mm

UPGRADED RETURN PLATE

REUSABLE	SINGLE-USE	VARIANT
RP-R-011A	RP-S-011A	Martin / ERBE / Berchtold / Tekno, Monopolar Adult 200x150x3.3mm
RP-R-011B	RP-S-011B	Valleylab / Conmed / BOWA, Monopolar Adult 200x150x3.3mm
RP-R-011C	RP-S-011C	Martin / ERBE / Berchtold / Tekno, Bipolar Adult 200x150x3.3mm
RP-R-011D	RP-S-011D	Valleylab / Conmed / BOWA, Bipolar Adult 200x150x3.3mm

PREMIUM RETURN PLATE

REUSABLE	SINGLE-USE	VARIANT
RP-R-009A	RP-S-009A	Martin / ERBE / Berchtold / Tekno, Bipolar Adult 200x150x3.3mm
RP-R-009B	RP-S-009B	Valleylab / Conmed / BOWA, Bipolar Adult 200x150x3.3mm
RP-R-009C	RP-S-009C	Martin / ERBE / Berchtold / Tekno, Monopolar Adult 200x150x3.3mm
RP-R-009D	RP-S-009D	Valleylab / Conmed / BOWA, Monopolar Adult 200x150x3.3mm

DISPOSABLE RETURN PLATE WITH CABLE – BIPOLAR

REUSABLE	SINGLE-USE	VARIANT
None	RP-S-005A	Martin / ERBE / Berchtold / Tekno, Adult
None	RP-S-005B	Martin / ERBE / Berchtold / Tekno, Child
None	RP-S-005C	Valleylab / Conmed / BOWA, Adult
None	RP-S-005D	Valleylab / Conmed / BOWA, Child

DISPOSABLE RETURN PLATE WITH CABLE – MONOPOLAR

REUSABLE	SINGLE-USE	VARIANT
None	RP-S-006A	Martin / ERBE / Berchtold / Tekno, Adult
None	RP-S-006B	Martin / ERBE / Berchtold / Tekno, Child
None	RP-S-006C	Valleylab / Conmed / BOWA, Adult
None	RP-S-006D	Valleylab / Conmed / BOWA, Child

DISPOSABLE RETURN PLATE WITHOUT CABLE – BIPOLAR

REUSABLE	SINGLE-USE	VARIANT
None	RP-S-007A	Adult
None	RP-S-007B	Child

DISPOSABLE RETURN PLATE WITHOUT CABLE – MONOPOLAR

REUSABLE	SINGLE-USE	VARIANT
None	RP-S-008A	Adult
None	RP-S-008B	Child

Connecting Cables

CONNECTING CABLE – SOLID MONOPOLAR PLATES

REUSABLE	SINGLE-USE	VARIANT
RP-R-003A	RP-S-003A	Martin / ERBE / Berchtold / Tekno
RP-R-003B	RP-S-003B	Valleylab / Conmed / BOWA

CONNECTING CABLE – SPLIT/ROUND BIPOLAR PLATES

REUSABLE	SINGLE-USE	VARIANT
RP-R-004A	RP-S-004A	Martin / ERBE / Berchtold / Tekno
RP-R-004B	RP-S-004B	Valleylab / Conmed / BOWA

Accessories

TIP CLEANER PADS

REUSABLE	SINGLE-USE	VARIANT
None	RP-S-010A	50x50mm sponge
None	RP-S-010B	48x48mm sponge
None	RP-S-010C	45x45mm sponge

Gynaecology Instruments

01 Speculum

02 Retractor

03 Forceps

04 Hooks



Speculum

COLLIN SPECULUM WITH SMOKE EVACUATION TUBE

REUSABLE	SINGLE-USE	SIZE
GY-R-002A	GY-S-002A	Small
GY-R-002B	GY-S-002B	Medium
GY-R-002C	GY-S-002C	Large

CUSCO SPECULUM WITH SMOKE EVACUATION TUBE

REUSABLE	SINGLE-USE	SIZE
GY-R-003A	GY-S-003A	Small
GY-R-003B	GY-S-003B	Medium
GY-R-003C	GY-S-003C	Large

GRAVE SPECULUM WITH SMOKE EVACUATION TUBE

REUSABLE	SINGLE-USE	SIZE
GY-R-007A	GY-S-007A	Small
GY-R-007B	GY-S-007B	Medium
GY-R-007C	GY-S-007C	Large

PEDERSON SPECULUM WITH SMOKE EVACUATION TUBE

REUSABLE	SINGLE-USE	SIZE
GY-R-012A	GY-S-012A	Small
GY-R-012B	GY-S-012B	Medium
GY-R-012C	GY-S-012C	Large

WU-MAX SPECULUM WITH SMOKE EVACUATION TUBE

REUSABLE	SINGLE-USE	SIZE
GY-R-020A	GY-S-020A	Small
GY-R-020B	GY-S-020B	Medium
GY-R-020C	GY-S-020C	Large

KOGAN ENDOCERVICAL SPECULUM

REUSABLE	SINGLE-USE	SIZE
GY-R-009A	GY-S-009A	3.0mm
GY-R-009B	GY-S-009B	4.0mm
GY-R-009C	GY-S-009C	5.0mm

Retractor

GELPI RETRACTOR

REUSABLE	SINGLE-USE	SIZE
GY-R-006A	GY-S-006A	Small
GY-R-006B	GY-S-006B	Medium
GY-R-006C	GY-S-006C	Large

LATERAL RETRACTOR (WIDE OPEN)

REUSABLE	SINGLE-USE	SIZE
GY-R-010A	GY-S-010A	Small
GY-R-010B	GY-S-010B	Medium
GY-R-010C	GY-S-010C	Large

LATERAL VAGINAL RETRACTOR

REUSABLE	SINGLE-USE	SIZE
GY-R-011A	GY-S-011A	Small
GY-R-011B	GY-S-011B	Medium
GY-R-011C	GY-S-011C	Large

RIGBY RETRACTOR

REUSABLE	SINGLE-USE	SIZE
GY-R-013A	GY-S-013A	Small
GY-R-013B	GY-S-013B	Medium
GY-R-013C	GY-S-013C	Large

Forceps

CHAMPION FORCEPS

REUSABLE	SINGLE-USE	SIZE
GY-R-001	GY-S-001	22.00cm

DRESSING FORCEPS (GYNAECOLOGY)

REUSABLE	SINGLE-USE	SIZE
GY-R-004A	GY-S-004A	21.00cm
GY-R-004B	GY-S-004B	25.00cm

RING FORCEPS

REUSABLE	SINGLE-USE	SIZE
GY-R-014	GY-S-014	22.00cm

SINGLE TOOTH TANACULUM

REUSABLE	SINGLE-USE	SIZE
GY-R-015	GY-S-015	24.00cm

TISSUE FORCEPS (GYNAECOLOGY)

REUSABLE	SINGLE-USE	SIZE
GY-R-018A	GY-S-018A	21.00cm
GY-R-018B	GY-S-018B	25.00cm

Hooks

EMMET HOOK

REUSABLE	SINGLE-USE	SIZE
GY-R-005A	GY-S-005A	18cm
GY-R-005B	GY-S-005B	25cm

IRIS HOOK

REUSABLE	SINGLE-USE	SIZE
GY-R-008A	GY-S-008A	18cm
GY-R-008B	GY-S-008B	25cm

STRAIGHT HOOK

REUSABLE	SINGLE-USE	SIZE
GY-R-016A	GY-S-016A	18cm
GY-R-016B	GY-S-016B	25cm

THREE-PRONG HOOK

REUSABLE	SINGLE-USE	SIZE
GY-R-017A	GY-S-017A	18cm
GY-R-017B	GY-S-017B	25cm

TWO-PRONG HOOK

REUSABLE	SINGLE-USE	SIZE
GY-R-019A	GY-S-019A	18cm
GY-R-019B	GY-S-019B	25cm



Every instrument in this range is *designed, manufactured, and packaged* in-house – reusable and single-use, matched throughout.

HEAD OFFICE

Sialkot, Pakistan · +92 336 6753154

AUSTRALIA OFFICE

Melbourne, Australia · +61 412 207 437

EMAIL & WEB

info@zirrahmedix.com · zirrahmedix.com

The Right Step